# $0.9 \cdot 1$

## SAFETY DATA SHEET

Page 1 of 6 SDS-368

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 2/16/2017 SDS Revision: 1.2 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: OPI GELCOLOR PROHEALTH TOP COAT NA Chemical Name: 1.2 1.3 Synonyms NA 1.4 Trade Names: GC 040 Professional or Sundry Use Only 1.5 Product Use: Distributor's Name: OPI Products, Inc. 1.6 1.7 Distributor's Address: 13034 Saticoy Street, No. Hollywood, CA 91605 USA 18 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377) 1.9 Business Phone / Fax: +1 (818) 759-2400 / +1 (818) 759-5776 2. HAZARDS IDENTIFICATION Hazard Identification: This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of NOHSC: 1088 (1999) and ADG Code (Australia). W WARNING! CAUSES MILD SKIN IRRITATION. CAUSES EYE IRRITATION. Classification: Skin Irrit. 3; Eye Irritl 2B 22 Label Flements: Hazard Statements (H): H316 - Causes mild skin irritation. H320 - Causes eye irritation. Precautionary Statements (P): P264 - Wash thoroughly with soap and water after handling. P280 - Wear eye protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337-P313 - If eye irritation persist: Get medical advice/attention. P332 + P313 - If skin irritation occurs: Get medical advice/attention. Other Warnings: KEEP OUT REACH OF CHILDREN. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC ppm ppm ppm ES-ES-ES-CHEMICAL NAME(S) RTECS No. EINECS No. STEL TWA STEL PEAK PEL STEL IDLH OTHER CAS No. DI-HEMA TRIMETHYLHEXYL 72869-86-4 NA 276-957-5 30-60 NA NA NA NA NA NF NF NF DICARBAMATE HYDROXYPROPYL 27813-02-1 UD3422500 248-666-3 NA NA NA NA 15-35 NF NF NF NA **METHACRYLATE** Skin Sens. 1; Eye Irrit. 2 TRIMETHYLBENZOYL 75980-60-8 NA 278-355-8 1.0-10 NA NA NF NF NF NA NA NA DIPHENYLPHOSPHINE OXIDE Repr. 2; H361f HYDROXYETHYL METHACRYLATE 868-77-9 OZ4725000 212-782-2 1.0-5.0 NA NA NF NF NF NA NA NA (HEMA) Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1; H319, H315, H317 7534-94-3 231-403-1 NA NF NF NF 1.0-5.0 NA NA NA NA NA ISOBORNYL METHACRYLATE Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; H315, H319, H335 9004-57-3 NA 618-384-9 1.0-5.0 NF NF NF NA NA NA NA NA **ETHYLCELLULOSE** PHENYLDIMETHOXYACETO-24650-42-8 NA 246-386-6 1.0-5.0 NA NA NF NF NF NA NA NA 947-19-3 NA 213-426-9 0.0-1.0 NA NA NF NF NF NA NA NA HYDROXYCYCLOHEXYL PHENYL KETONE Acute Tox. Oral 5; Aquatic Acute 3; H303, H402

201-177-9

201-353-5

NA

CB7700000

79-10-7

81-48-1

ACRYLIC ACID

CI 60725 (VIOLET 2)

0.0-0.1

0.0-0.1

NA

NA

NA

NA

NF

NF

NF

NF

NF

NF

NA

NA

NA

NA

NA

NA

# **SAFETY DATA SHEET**

Page 2 of 6

**SDS-368** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.2

SDS Revision Date: 2/16/2017

1 10p		51, 1 <b>1</b> 01100, W	HMIS, GHS & 12/2/2008/EC Standards   SD	S Revision: 1.2   SDS Revision Date: 2	2/10/2017
			4. FIRST AID MEASURES	2	
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting. If produce		vater or mill
			IMMEDIATELY. If the patient is vomiting, continuunconscious person. Contact the nearest Poison estimate of the time at which the material was swallowed.	le to offer water or milk. Never give water Control Center or local emergency number	or milk to ai r. Provide ai
		Eyes:	Splashes are not likely; however, if product gets water for at least 15 minutes. If irritation occurs, o		of lukewarn
		Skin:	If irritation occurs and product is on the skin, rinse washing of the affected area with soap and wat physician immediately.	thoroughly with lukewarm water, followed by	
		Inhalation:	Remove victim to fresh air. noval Instructions:		
		Follow GelC force or pull sensation do walls with El	color nail prep & removal instructions. Longer wear in gel away from nail or use metal implements/electricuring removal (e.g. pressure, squeezing, pinching), r DGE 240 File. Gently push off as much GelColor as p nail, and continue soaking.	drill to remove product. If client experience emove wrap and gently file surface of gel or	es any nly along sid
4.2	Effects of Exposure:	Ingestion:	If product is swallowed, may cause nausea, depression.	omiting and/or diarrhea and central ner	vous syster
		Eyes: Skin: Inhalation:	Irritating to the eyes. Symptoms of overexposure May be irritating to skin in some sensitive individual Vapors of this product may be slightly irritating system. Symptoms of overexposure can include breathing. Inhalation of vapors exceeding the Information) can cause central nervous system nausea).	als, especially after prolonged and/or repeat to the nose, throat and other tissues of the e coughing, wheezing, nasal congestion, levels listed in Section 3 (Composition a	ted contact. he respirator and difficult nd Ingredier
4.3	Symptoms of Overexposure:		of skin overexposure in individuals may includer in eyes may cause redness, itching and watering		fected area
1.4	Acute Health Effects:	Mild to mod	erate irritation to eyes and skin near affected areas dizziness, headaches and nausea.		ors can caus
4.5	Chronic Health Effects:	None known	1.		
4.6	Target Organs:		and respiratory system.		
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing	skin, eye and respiratory disorders.	HEALTH	1
				FLAMMABILITY PHYSICAL HAZARDS	1
				PROTECTIVE EQUIPMENT	В
				EYES SKIN	
			5. FIREFIGHTING MEASUR	PES	
5.1	Fire & Explosion Hazards:	decompose	t is not a flammable liquid. When involved in a to form toxic gases (e.g., CO, CO <sub>2</sub> , NO <sub>x</sub> ). Uncontatures resulting in explosions or rupture of storage c	fire, this product may ignite and rolled polymerization may occur at	_
5.2	Extinguishing Methods:	Water, Foam	n, CO <sub>2</sub> , Dry Chemical		2
5.3	Firefighting Procedures:	and full proto cool fire-exp storm drains	e, wear MSHA/NIOSH approved self-contained brea ective gear. Keep containers cool until well after osed surfaces and to protect personal. If possible s, bodies of water, or other environmentally sen d equipment with soapy water before returning to se	the fire is out. Use water spray to prevent runoff water from entering sitive areas. If necessary, rinse	1 1
			6. ACCIDENTAL RELEASE MEA	ASURES	
6.1	Spills:	Equipment. For small sp spilled mater in accordance warm water For large sp material (e.g containers for	ning any spill or leak, individuals involved in spills (e.g., < 1 gallon (3.8 L)) wear appropriate person rial with absorbent material and place into appropriate with local, state and federal regulations. Wash and soap. Remove any contaminated clothing and boills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all urgle, sand or earth). Transfer liquid to containers for roor proper disposal. Remove contaminated clothing spills and cleaning runoffs out of municipal sewers	Il cleanup must wear appropriate Person al protective equipment (e.g., goggles, glowate closed container(s) for disposal. Disposal affected areas and outside of container wash thoroughly before reuse. protected individuals. Dike and contain secovery or disposal and solid diking material promptly and wash affected skin areas we	ves). Removese of proper with plenty of spill with ine all to separate

# **SAFETY DATA SHEET**

Page 3 of 6 SDS-368

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.2 SDS Revision Date: 2/16/2017

		7. HANDLING 8	& STORA	GE INFO	<u>JK</u> MA	TION				
7.1	Work & Hygiene Practices:	Avoid eye contact.								
7.2	Storage & Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or								
		unmarked containers or storage de	evices. Keep co	ntainers se	curely clo	sed when	not in us	se.		Ü
7.3	Special Precautions:	Spilled material may present a slip								
						•	•			
		8. EXPOSURE CONTI	ROLS & P	<b>ERSON</b>	<b>AL PI</b>	ROTEC	CTION			
3.1	Exposure Limits:		ACGIH		NOHSC			OSHA		OTHER
	ppm (mg/m³)				ES-	ES-				
		CHEMICAL NAME(S)	TLV STEL	ES-TWA	STEL	PEAK	PEL	STEL	IDLH	
8.2	Ventilation & Engineering	NA III	NA NA	NF · · · ·	NF	NF /	NA	NA .	NA 	
0.2	Controls:	When working with large quantities that an eyewash station, sink or wa						haust ve	entilation	, fans). Ensur
3.3	Respiratory Protection:	No special respiratory protection						handlin	ng. In	
5.0	respiratory i fotection.	instances where vapors or sprays								
		use only protection authorized b								
		Canadian CAS Standard Z94.4-9								
		States, or Australia.	• • •							
8.4	Eye Protection:	Wear protective eyewear (e.g., sat	fety glasses wit	h side-shiel	d) at all t	imes wher	n handlin	g this p	roduct.	
		Always use protective eyewear wh		ills or leaks	s. Conta	ct lenses	pose a s	special h	nazard;	
		soft lenses may absorb and concer								
8.5	Hand Protection:	AVOID SKIN CONTACT DUE TO								
		skin contact will occur during use								Chiles
		If necessary, refer to U.S. OSHA 2	29 CFR §1910.	38, the app	propriate	standards	of Cana	da, of th	ie E.C.	
2.0	D. d. D. d. di	member states.	CENCITIZING	DOTENTIA			:-!		-4::-	
3.6	Body Protection:	AVOID SKIN CONTACT DUE TO								
8.6	Body Protection:	AVOID SKIN CONTACT DUE TO required under typical circumstance	es of use and	nandling. If						
8.6	Body Protection:	AVOID SKIN CONTACT DUE TO	es of use and	nandling. If						
8.6	Body Protection:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
	,	avoid skin contact due to required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL 8	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1	Appearance:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2	Appearance: Odor:	AVOID SKIN CONTACT DUE TO required under typical circumstanc of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3	Appearance: Odor: Odor Threshold:	AVOID SKIN CONTACT DUE TO required under typical circumstanc of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4	Appearance: Odor: Odor Threshold: pH:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4 9.5	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA NA NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4 9.5	Appearance: Odor: Odor Threshold: pH:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA NA NA NA NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4 9.5 9.6	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA NA NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4 9.5 9.6	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA NA NA NA NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4 9.5 9.6 9.7	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA NA NA NA NA NA NA NA NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.13	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow):	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.13 9.14	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.13 9.14 9.15	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.13 9.14 9.15 9.16	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	ces of use and s, or U.S. OSH	nandling. If A.	necessa	ry, refer to				
9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.13 9.14 9.15 9.16	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	es of use and s, or U.S. OSHA	cal PR	OPER	ry, refer to				
9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.13 9.14 9.15 9.16 9.17	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	es of use and s, or U.S. OSHA	CAL PRO	OPER	TIES	o appropri	iate sta		
9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.13 9.14 9.15 9.16	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	es of use and s, or U.S. OSHA  REPORT OF THE STATE OF THE	REACTI erly (see So	OPER  VITY ection 7,	TIES  Storage al	o appropr	iate sta	ndards	
9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.13 9.14 9.15 9.16 9.17	Appearance: Odor: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information:  Stability: Hazardous Decomposition	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	BILITY & I hen stored properatures, the	REACTI erly (see So	OPER  VITY ection 7,	TIES  Storage al	o appropr	iate sta	ndards	ng vapors and
9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.13 9.14 9.15 9.16 9.17	Appearance: Odor: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information:  Stability: Hazardous Decomposition Products:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	BILITY & I hen stored properatures, the e).	REACTI erly (see Seproducts of	OPER  VITY ection 7,	TIES  Storage al	o appropr	iate sta	ndards	ng vapors and
9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.13 9.14 9.15 9.16 9.17 10.1 10.2	Appearance: Odor: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information:  Stability: Hazardous Decomposition Products: Hazardous Polymerization:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	BILITY & I hen stored properatures, the high temperatures, the high temperatures.	REACTI erly (see Soproducts of	OPER  VITY ection 7, thermal	TIES  Storage and decompositions of the	nd Handl	ing).	de irritati	
9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.13 9.14 9.15 9.16 9.17	Appearance: Odor: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information:  Stability: Hazardous Decomposition Products:	AVOID SKIN CONTACT DUE TO required under typical circumstance of Canada, the E.C. member states  9. PHYSICAL & Clear light pink liquid Slight NA	BILITY & I hen stored properatures, the stored properatures, the stored properatures, incomperatures, incomper	REACTI erly (see Soroducts of ures.	OPER  VITY ection 7, thermal	TIES  Storage and decompositions of the strong light stro	nd Handlasition ma	ing).	de irritati	

# $0.6 \cdot 1$

# **SAFETY DATA SHEET**

Page 4 of 6 SDS-368

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 2/16/2017 SDS Revision: 1.2 11. TOXICOLOGICAL INFORMATION Inhalation: NO Routes of Entry: Absorption: YES 11 1 Inaestion: YES The product has not been tested for specific toxicity data. 11.2 **Toxicity Data** 11.3 Acute Toxicity: See Section 4.4 11.4 Chronic Toxicity: See Section 4.5 11.5 Suspected Carcinogen: No 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to produce teratogenic effects in humans. This product is not reported to produce reproductive effects in humans. Reproductive Toxicity: 11.7 Irritancy of Product: See Section 4.2 Biological Exposure Indices: NE 11.8 Physician Recommendations Treat symptomatically 11.9 12. ECOLOGICAL INFORMATION There are no specific data available for this product. 12.1 Environmental Stability: 12.2 Effects on Plants & Animals: There are no specific data available for this product. There are no specific data available for this product 12.3 Effects on Aquatic Life 13. DISPOSAL CONSIDERATIONS Dispose of in accordance with Federal, state and local regulations. 13.1 Waste Disposal: 13.2 Special Considerations: 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR 49 CFR (GND): NOT REGULATED 14.1 14.2 IATA (AIR): NOT REGULATED 14.3 IMDG (OCN): **NOT REGULATED** 14.4 TDGR (Canadian GND): **NOT REGULATED** ADR/RID (EU): 14.5 NOT REGULATED SCT (MEXICO) 14.6 NOT REGULATED ADGR (AUS): 14.7 **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting 15.1 This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements. Requirements 152 SARA TPQ: There are no specific Threshold Planning Quantities for the components of this product. 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. 15.4 CERCLA NA Quantity Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G 15.5 (Cosmetics) Other Canadian Regulations: 15.6 This product has been classified according to the hazard criteria of the CPR and the Safety Data Sheet contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects) 15.7 State Regulatory Information: Hydroxyethyl Methacrylate (HEMA) is found on the following state criteria list: NJ and PA None of the ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI) Other Requirements: 15.8 NA

# **SAFETY DATA SHEET**

Page 5 of 6

**SDS-368** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS

SDS Revision: 1.2

SDS Revision Date: 2/16/2017

	16. OTHER INFORMATION					
16.1	Other Information:	WARNING! CAUSES MILD SKIN IRRITATION. CAUSES EYE IRRITATION. Use only as directed. Discontinue use immediately if irritation develops. Wash thoroughly with soap and water after handling. Wear eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. Store in a cool place. KEEP OUT OF REACH OF CHILDREN.				
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.				
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.				
16.4	Prepared for:	OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5776 http://www.opi.com				
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com				

# **SAFETY DATA SHEET**

Page 6 of 6

**SDS-368** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.2

SDS Revision Date: 2/16/2017

## **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

### **GENERAL INFORMATION:**

CAS No.	CAS No. Chemical Abstract Service Number			
RTECS No.	RTECS No. Registry of Toxic Effects of Chemical Substances Number			
EINECS No. European Inventory of Existing Commercial Chemical Substances N				

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists		
IDLH	IDLH Immediately Dangerous to Life and Health		
NOHSC	National Occupational Health and Safety Commission (Australia)		
OSHA	U.S. Occupational Safety and Health Administration		
PEL	Permissible Exposure Limit		
STEL	Short Term Exposure Limit		
TLV	Threshold Limit Value		
TWA	Time Weighted Average		

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard	
1	1 Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



### PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D		型	
Ε			
F			





## OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:		
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		

#### **HAZARD RATINGS:**

0	Minimal Hazard	FLAMMABILITY
1 Slight Hazard		
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK Alkaline		
COR	Corrosive	/ <b>\ \</b> \ \ \
W	Use No Water	HEALTH
ОХ	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL <sub>m</sub>	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution
log K <sub>OW</sub> or log K <sub>OC</sub>	Coefficient of Oil/water Distribution

## REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

## WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>®</b>		<b>(2)</b>	$\Theta$	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

### CLP/GHS (1272/2008/EC) PICTOGRAMS:

	<b>③</b>		$\Diamond$			$\Diamond$		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment