SAFETY DATA SHEET

Page 1 of 6 SDS-022

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.1

SDS Revision Date: 2/8/2016

1.1	Product Name:	CLARITÉ BY OPI POWDER – ALL SHADES	
1.2	Chemical Name:	Polyethylmethacrylate Powder	
1.3	Synonyms:	NA NA	
1.4	Trade Names:	AO (xxx)	
1.5	Product Use:	Professional Use Only	
1.6	Distributor's Name:	OPI Products, Inc.	
1.7	Distributor's Address:	13034 Saticoy Street, No. Hollywood, CA 91605 USA	
1.8	Emergency Phone:	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377)	
1.9	Business Phone / Fax:	+1 (818) 759-2400 / +1 (818) 759-5776	

2. HAZARDS IDENTIFICATION

2.1 Hazard Identification: This product is NOT classified as a hazardous substance or as dangerous goods according the classification criteria of NOHSC: 1088 (2004) and the ADG Code (Australia).

The product is a fine powder, and may cause a slipping and falling hazard if spilled.

WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION.

Classification: Skin Sens. 1A; Eye Irrit. 2A

<u>Hazard Statements</u> (H): H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation

<u>Precautionary Statements</u> (P): P280 - Wear protective gloves/protective clothing/ eye protection/ face protection. P261 - Avoid breathing dusts. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P501 - Dispose of contents/container through licensed treatment, storage or disposal facility (TSDF).



3. COMPOSITION & INGREDIENT INFORMATION

					EXPOSURE LIMITS IN AIR (mg/m³)								
					AC.	GIH		NOHSC	,		OSHA		
					pr	pm		ppm			ppm		
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
POLYETHYL METHACRYLATE	9003-42-3	NA	NA	40-70	NA	NA	NF	NF	NF	NA	NA	NA	
POLYMETHYL METHACRYLATE	9011-14-7	TR0400000	NA	40-70	(10)	NA	NF	NF	NF	(10)	NA	NA	
BENZOYL PEROXIDE	94-36-0 Org. Perox. B:	DM8575000 B; Skin Sens. 1; Ey	202-327-6 ve Irrit.2. H241. H	1-5 H317, H319	(5)	NE	(5)	NF	NF	(5)	NA	1500	
MAY ALSO CONTAIN:	10.9	, ,	, ,										
CI 77891 (TITANIUM DIOXIDE)	13463-67-7	XR2275000	236-675-5	0.5-1.5	(15)	NA	NF	NF	NF	(15)	NA	NA	
CI 15850 (RED 7)	5858-81-1	QJ1975000	226-109-5	0.5-1.5	NA	NA	NF	NF	NF	NA	NA	NA	
CI 45410 (RED 28)	13473-26-2	LM5870000	236-747-6	0.5-1.5	NA	NA	NF	NF	NF	NA	NA	NA	
CI 73360 (Red 30)	2379-74-0	NA	219-163-6	0.5-1.5	NA	NA	NF	NF	NF	NA	NA	NA	
CI 42090 (BLUE 1)	3844-45-9	BQ4725000	223-339-8	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	

SAFETY DATA SHEET

Page 2 of 6 SDS-022

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 4.1 SDS Revision Date: 2/8/2016 4. FIRST AID MEASURES First Aid: 4.1 If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk Ingestion: IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough Skin: washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before reuse. If irritation, redness or swelling persists, consult a physician immediately. If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open Eyes: and close eyelid(s) to ensure thorough irrigation. If irritation persists seek immediate medical attention. Inhalation: Remove victim to fresh air at once. If breathing stops, perform artificial respiration. Seek immediate medical attention. 4.2 Effects of Exposure: May cause irritation in mouth and throat. May cause nausea, vomiting and diarrhea. Ingestion: Eyes: May cause irritation, redness, stinging and tearing. Skin: May cause irritation, redness at the site of contact. Allergic contact dermatitis is possible with prolonged or repeated contact. Inhalation: Prolonged exposure may cause irritation in nose and throat with chest discomfort, coughing and difficulty breathing. Excessive inhalation of dust may result in sensitization and irritation to respiratory tract. May cause asthma-like symptoms in some sensitive individuals. Symptoms of Overexposure: 4.3 Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. Acute Health Effects: Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. Chronic Health Effects: 4.5 No long-term health effects are known. 46 Target Organs: Eyes, Skin, Respiratory System. Medical Conditions 4.7 Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 1 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). Preclude from **FLAMMABILITY** 1 exposure those individuals that are susceptible to dermatitis, asthma PHYSICAL HAZARDS 1 or bronchitis. PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5 1 Fire & Explosion Hazards: Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Extinguishing Methods: 5.2 Carbon Dioxide, Dry Chemical, Water Spray. 5.3 Firefighting Procedures: Keep containers cool until well after the fire is out. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters should wear full face, self-contained breathing apparatus (MSHA/NIOSH approved or the equivalent) and impervious protective clothing. 6. ACCIDENTAL RELEASE MEASURES Spills: Spilled product may produce a slip hazard. Before cleaning any spill, individuals involved in spill cleanup must wear 6.1 appropriate Personal Protective Equipment including gloves, glasses and NIOSH approved (or equivalent) dust respirator. Carefully vacuum or sweep up the spilled powder. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas. Remove any contaminated clothing and wash thoroughly before reuse. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Avoid prolonged contact with this material. Limit inhalation of the vapors generated by this product. Use in a wellventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap & water after using this product. Do not eat, drink, or smoke while handling this product. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. Keep away from children at all times! Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 7.3

$\mathbf{J} \cdot \mathbf{P} \cdot \mathbf{I}$

11.5

Suspected Carcinogen:

IARC.

SAFETY DATA SHEET

Page 3 of 6

SDS-022 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 4.1 SDS Revision Date: 2/8/2016 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits **ACGIH** NOHSC OTHER ppm (mg/m³) FS FS. FS STEL STEL CHEMICAL NAME(S) TLV TWA STEI PEAK PEL IDLH POLYMETHYL METHACRYLATE (10)NA NF NF NF (10)NA NA BENZOYL PEROXIDE (5) NE (5) NF NF (5) NΑ 1500 CI 77891 (TITANIUM DIOXIDE) (15)NA NF NF (15)NA NA Ventilation & Engineering 8.2 When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Controls: Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia Eve Protection: 8 4 Avoid eye contact. Use approved safety glasses or goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 8.5 Hand Protection: AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. However, no special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Clear powder 92 Odor Mild acrylic odor, in bulk Odor Threshold: 9.3 9.4 NA 9.5 Melting Point/Freezing Point: NA 96 Initial Boiling Point/Boiling NA Range: 9.7 Flashpoint: 264 °C (508 °F), TCC 9.8 Upper/Lower Flammability NA 9.9 Vapor Pressure: NA Vapor Density 9.10 NA 9.11 Relative Density: NA 9.12 Solubility Insoluble in water 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature NA 9 15 Decomposition Temperature: NA 9 16 Viscosity NA 9 17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability Relatively stable under ambient conditions when stored properly. If exposed to extremely high temperatures, products of thermal decomposition may include irritating vapors and toxic 10.2 Hazardous Decomposition Products: gases (e.g., oxides of carbon (CO, CO₂) and nitrogen (NOx)) Hazardous Polymerization: Will not occur. 10.3 10.4 Conditions to Avoid: Exposure or contact to extreme temperatures, incompatible chemicals, strong light sources, sparks, flame. 10.5 Incompatible Substances: Strong oxides, peroxides or strong acids 11. TOXICOLOGICAL INFORMATION Inhalation: YES Routes of Entry Absorption: NO 11 1 Inaestion: 11.2 Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. This data has not been presented in this document. 11.3 Acute Toxicity: See Section 4.4 11.4 Chronic Toxicity: No long-term health effects are known.

This product contains Benzoyl Peroxide, which is not carcinogenic to humans, but is listed as Group 3 carcinogen by the

SAFETY DATA SHEET

Page 4 of 6 **SDS-022**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 2/8/2016 11. TOXICOLOGICAL INFORMATION – cont'd Reproductive Toxicity: 11.6 This product is not reported to produce reproductive toxicity in humans Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to produce reproductive effects in humans 11.7 Irritancy of Product: See Section 4.3 11.8 Biological Exposure Indices: NE Physician Recommendations: 11.9 Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds. Effects on Plants & Animals: 12.2 There are no specific data available for this product. 12.3 Effects on Aquatic Life: There are no specific data available for this product. However, releases of large volumes may be harmful or fatal to overexposed aguatic life. Aquatic toxicity data for components of this product are available, but are not presented in this Safety Data Sheet. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Dispose in accordance with local, state and Federal hazardous waste laws. 13.2 Special Considerations 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): NOT REGULATED 14.2 IATA (AIR): NOT REGULATED 14.3 IMDG (OCN): NOT REGULATED 14.4 TDGR (Canadian GND): NOT REGULATED 14.5 ADR/RID (EU): NOT REGULATED SCT (MEXICO): 14.6 NOT REGULATED ADGR (AUS): 14.7 **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting This product contains Benzoyl Peroxide, a substance subject to SARA Title III, Section 313 reporting requirements. 15.1 Requirements: This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements. 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. CERCLA Reportable Quantity 15.4 NA 15.5 Other Federal Requirements This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics) 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the Safety Data Sheet contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities 15.7 State Regulatory Information: Benzoyl Peroxide is found on the following state criteria lists: Florida Toxic Substances List (FL), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA), and Washington Permissible Exposures List (WA. Polymethyl Methacrylate is found on the following state criteria list: NJ, PA No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI) Other Requirements: The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: Polymethyl Methacrylate: Irritant (Xi). Risk Phrases (R): 36/37/38 Irritating to eyes respiratory system and skin. Safety Phrases (S) 24/25 Avoid contact with skin and eyes. Benzoyl Peroxide: Irritant (Xi). Risk Phrases (R): 36-43 Irritation to eyes. May cause sensitization by skin contact. Safety Phrases (S): (2-)3/7-14-36/37/39 Keep out of reach of children. Keep container tightly closed in a cool place. Keep away from extreme high temperatures, strong oxides, peroxides or strong acids. Wear suitable protective clothing, gloves, and eye/face protection.

SAFETY DATA SHEET

Page 5 of 6 SDS-022

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 4.1 SDS Revision Date: 2/8/2016 16. OTHER INFORMATION Other Information: WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. Precisely follow directions and Safety Data Sheet for use. Avoid skin contact. If redness or other signs of adverse reaction occur, discontinue use immediately. Use only in a well ventilated area. A ventilation system that expels vapors to the outdoors is recommended. KEEP OUT OF REACH OF CHILDREN. In case of emergency, contact your physician or local Poison Control Center immediately. FOR PROFESSIONAL USE ONLY! 16.2 Terms & Definitions: See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition 16.4 Prepared for: OPI Products, Inc. 13034 Saticoy Street $\mathbf{p} \cdot \mathbf{p} \cdot \mathbf{I}$ No. Hollywood, CA 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5776 http://www.opi.com Prepared by: ShipMate, Inc. P.O. Box 787 **ShipMate** Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700

http://www.shipmate.com

SAFETY DATA SHEET

Page 6 of 6 **SDS-022**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 2/8/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists			
TLV Threshold Limit Value				
OSHA U.S. Occupational Safety and Health Administration				
PEL Permissible Exposure Limit				
IDLH Immediately Dangerous to Life and Health				

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard				
1	Slight Hazard				
2	Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard				



PERSONAL PROTECTION RATINGS:

Α			
В			
С	(EV)	THE STATE OF THE S	
D			
Е	(EV)		
F		##. ##.	





Splash Goggles



Face Shield &

Cy



Synthetic Apron

Protective Clothing & Full Suit

Dust Respirator

Full Face Respirator

Dust & Vapor Half-

Full Face Mask Respirator Respirator

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML Maximum Limit	
SCBA Self-Contained Breathing Apparatus	

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI*	FLAMMABILITY LIMITS IN AIR:						
Autoignition Temperature Minimum temperature required to initiate combustion in air with no source of ignition							
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source						
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source						

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
ох	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System		
DOT	DOT U.S. Department of Transportation		
TC	Transport Canada		
EPA	PA U.S. Environmental Protection Agency		
DSL Canadian Domestic Substance List			
NDSL Canadian Non-Domestic Substance List			
PSL Canadian Priority Substances List			
TSCA U.S. Toxic Substance Control Act			
EU	EU European Union (European Union Directive 67/548/EEC)		
WGK	Wassergefährdungsklassen (German Water Hazard Class)		

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	*	(4)		\odot	(1)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compresse d	Flammabl e	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

1		M	*		*	×	×
С	Е	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammabl e	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

<				\Diamond			\		(
	GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Е	xplosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment