

Page 1 of 6 SDS-043

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.1

SDS Revision Date: 2/8/2016

1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: **OPI MICROBOND MICRO SCULPTURE PINK WHISPER GEL** 12 Chemical Name Methacrylate Mixture 1.3 Synonyms: NA 1.4 Trade Names MBM26 1.5 Product Use: Professional Use Only 1.6 Distributor's Name: **OPI Products, Inc.** 1.7 Distributor's Address: 13034 Saticoy Street, No. Hollywood, CA 91605 USA 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377) 1.9 Business Phone / Fax: +1 (818) 759-2400 / +1 (818) 759-5776 2. HAZARDS IDENTIFICATION Hazard Identification: 2.1 This product is classified as a hazardous substance but not as dangerous goods according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia). WARNING! CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. Classification: Skin Irrit. 2; Skin Sens. 1A: Eye Irrit. 2A Hazard Statements (H): H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. Precautionary Statements (P): P261 - Avoid breathing fume/ mist/vapors/spray. P264 - Wash exposed skin areas thoroughly with soap and water after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - IF ON SKIN: Wash with soap and water. P305+P351+P338 - IF IN Eyes: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. P333+P313 - If skin irritation or a rash occurs – Get medical advice/attention. P321 – For specific first aid treatment (See Section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before reuse. P370+P378 - In case of fire, CO₂, Halon (if permitted), dry chemical, or foam for extinction. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH OSHA NOHSC ppm ppm ppm ES-ES-ES-TLV TWA STEL CHEMICAL NAME(S) CAS No RTECS No. EINECS No % STEL PEAK PEL IDLH OTHER STEL NA 60-100 NF NF NA NA NA URETHANE METHACRYLATE NA NA NA NA NF OLIGOMERS OZ4100000 TRIETHYLENE GLYCOL 109-16-0 203-652-6 7-13 NA NA NF NF NF NA NA NA DIMETHACRYLATE NA DUST NA 231-545-4 1-5 7631-86-9 NA NA NF NF NF NA NA SILICA HYDROXYMETHYLPHENYL 231-272-0 0.1-1 NA NA NF NF NF NA NA NA 7473-98-5 NA PROPANONE Acute Tox. 4; H302 VV8760000 2379-74-0 310-127-6 0.1-1 NA NA (2.5) NF NF 30 NA NA RESP FRAC CI 73360 (RED 30) 4. FIRST AID MEASURES 41 First Aid If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk Ingestion: IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact Rocky Mountain Poison Control Center at 1-303-623-5716 or the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open Eyes: and close eyelid(s) to ensure thorough irrigation. If irritation persists seek immediate medical attention. Skin: If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before reuse. If irritation, redness or swelling persists, consult a physician immediately. Remove victim to fresh air at once. If breathing stops, perform artificial respiration. Seek immediate Inhalation: medical attention.



Page 2 of 6 **SDS-043**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.1 S

Prepa	ared to OSHA, ACC, ANSI, N	OHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Rev	rision: 3.1	SDS Revision Date: 2/8/20	16
		4. FIRST AID MEASURES – cont	ťd		
4.2	Effects of Exposure:	Ingestion: If product is swallowed, may cause nausea, headache, vomiting and/or diarrhea and central nervol system depression. Eyes: Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. Skin: May be irritating to skin in some sensitive individuals, especially after prolonged and/or repeated contact Inhalation: Inhalation: Inhalation of vapors is unlikely under normal conditions of use and handling; however, inhalation of vapor in excess of the levels listed in Section 3 (Composition and Ingredient Information) can cause cent nervous system depression (e.g., drowsiness, dizziness, headaches, nausea).		ering. contact. of vapors	
4.3	Symptoms of Overexposure:	Symptoms of skin overexposure in some sensitive individuals may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering.			
4.4	Acute Health Effects:	Mild to moderate irritation to eyes and skin near affected areas.			
4.5	Chronic Health Effects:	None known.			
4.6	Target Organs:	Eyes, Skin.			
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the	HEALTH		1
	Aggravated by Exposure.	target organs (eyes, skin, and respiratory system).	FLAMMABILITY		1
			PHYSICAL	HAZARDS	0
			PROTECT	IVE EQUIPMENT	В
			EYES	SKIN	
		5. FIREFIGHTING MEASURES			
5.1	Fire & Explosion Hazards:	Keep away from heat, lit cigarettes, sparks & open flame and container closed.	other sources	of heat. Keep	
5.2	Extinguishing Methods:	CO ₂ , Halon (if permitted), Dry Chemical or Foam, as authorized.			•
5.3	Firefighting Procedures:	When involved in a fire, this product will ignite readily and decompose to produce carbon oxides. Vapors of this product are heavier than air and may travel to a source of ignition and flash back to a leaking or open container. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. <u>HazChem Code</u> : NA <u>Hazard Identification Number</u> : NA			
	-	6. ACCIDENTAL RELEASE MEASU			
6.1	Spills:	 Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., gog gloves). Maximize ventilation (open doors and windows. Remove spilled material with absorbent material and placet appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulat Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contamir clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate the spills (e.g., sand or earth). Remove contaminated clothing promptly and wash affected skin areas with soap water. 		 goggles, glace into egulations. ntaminated with inert separate 	

		7. HANDLING & STORAGE INFORMATION
7.1	Work & Hygiene Practices:	Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.
7.2	Storage & Handling:	Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care.
		Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (See Section 10, Stability and Reactivity). Material should be stored in secondary containers as appropriate.
7.3	Special Precautions:	Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care.



Page 3 of 6 **SDS-043**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.1

8.1	Exposure Limits:	8. EXPOSURE CON		GIH		NOHSC			OSHA		OTHER
0.1	ppm (mg/m ³)				ES-	ES-	ES-				
		CHEMICAL NAME(S)	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	DUIOT
		SILICA CI 73360 (RED 30)	NA NA	NA NA	NF (2.5)	NF NF	NF NF	NA 30	NA NA	NA NA	DUST RESP FRAC
8.2	Ventilation & Engineering	When working with large quar									
	Controls:	Ensure that an eyewash station	, sink o	r washb	asin is av	ailable in	case of e	exposure	e to eye	s.	
3.3	Respiratory Protection:	No special respiratory protection									
		instances where vapors or sp									
		needed, use only protection aut the Canadian CAS Standard									
		member States, or Australia.	234.4-3	5 anu	applicab			anaulai	1 1 1001	1003, L	.0
3.4	Eye Protection:	Avoid eye contact. None requi	red und	ler norm	al condit	ions of us	se. Howe	ever. ma	v cause	e irritatio	on
		in some sensitive individuals. D									av 🦱
		be worn. If necessary, refer									
		European Standard EN166. Wh	nen har	ndling la	irge quan	tities (e.g	., ≥ 1 ga	lon), sa	fety gla	sses wi	th 💙
		side shields should be used.									
8.5	Hand Protection:	AVOID SKIN CONTACT DUE									
		repeated skin contact will occur									
		industrial use. If necessary, ref Canada, of the E.C. member sta		.5. 05	1A 29 CF	R 91910	138, the	appropr	late sta	ndards	or 🔛
8.6	Body Protection:	AVOID SKIN CONTACT DU		CENICIT		OTENTI		NOVOR	00 000	cial bo	dv
5.0		protection is required under ty									
		appropriate standards of Canad							ocoodiy	, 10101	
			,								
		9. PHYSICAL	_ & C	HEM		PROP	ERTIE	ES			
9.1	Appearance:	Pink viscous gel									
9.2	Odor:	Characteristic acrylates odor									
9.3	Odor Threshold:	NA									
9.4	pH:	NA									
9.5	Melting Point/Freezing Point:	NA									
9.6	Initial Boiling Point/Boiling Range:	> 212 °F									
9.7	Flashpoint:	> 82 °C (180 °F) c.c.									
9.8	Upper/Lower Flammability Limits:	NA									
9.9	Vapor Pressure:	NA									
9.10	Vapor Density:	NA									
9.11	Relative Density:	NA									
9.12	Solubility:	Immiscible									
9.13	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
9.15	Decomposition Temperature:	NA									
9.16	Viscosity:	100.000 cPs									
9.17	Other Information:	NA									
		10. ST/	ABII			CTIVI	ΓY				
10.1	Stability:	Relatively stable under ambient					-				
10.2	Hazardous Decomposition	If exposed to extremely high te					decomp	osition r	nav inc	lude irri	tating vapors and to
	Products:	gases (e.g., oxides of carbon &					accomp	0010111	nay inc		tables and to
10.3	Hazardous Polymerization:	Will not occur.		/							
10.4	Conditions to Avoid:	Exposure to or contact with extr	eme tei	mperatu	ires, inco	npatible	chemicals	s. strong	light so	ources.	sparks, flame.
10.5	Incompatible Substances:	Strong oxides, peroxides or stro			,			,			
	1										
		11. TOXIC	OLO	GICA	LINF	ORMA	TION				
11.1	Routes of Entry:	Inhalation: YES	-				ES			Inge	stion: YES
11.2	Toxicity Data:	This product has NOT been tes			to obtair	n toxicolo	gy data.			ology d	ata for the componer
14.0	A euto Teurisita	of the product, which are found	in scier	ntific liter	rature. T	nis data h	as not be	en pres	ented ir	n this do	ocument.
11.3	Acute Toxicity:	See Section 4.4									
11.4	Chronic Toxicity:	See Section 4.5									
11.5	Suspected Carcinogen:	No									



Page 4 of 6 **SDS-043**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.1

		11. TOXICOLOGICAL INFORMATION – cont'd
11.6	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	See Section 4.3
11.8	Biological Exposure Indices:	NE
11.9	Physician Recommendations:	Treat symptomatically.
12.2 12.3	Environmental Stability: Effects on Plants & Animals: Effects on Aquatic Life:	 This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds. There are no specific data available for this product. There are no specific data available for this product. However, releases of large volumes may be harmful or fatal to overexposed aquatic life. Aquatic toxicity data for components of this product are available, but are not presented in this
		Safety Data Sheet.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Waste disposal must be in accordance with appropriate federal, state, and local regulations.
13.2	Special Considerations:	NA

		14. TRANSPORTATION INFORMATION
		, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information /ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED
		15. REGULATORY INFORMATION
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements.
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
15.4	CERCLA Reportable Quantity (RQ):	NA
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects)
15.7	State Regulatory Information:	None of the ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).
15.8	Other Requirements:	The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: Irritant (Xi). <u>Risk Phrases</u> (R): 36/37/38 – Irritation to eyes, respiratory system and skin. <u>Safety</u> <u>Phrases</u> (S): 2-7-16-24/25/26 – Keep out of the reach of children. Keep container tightly closed. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.



Page 5 of 6 **SDS-042**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.1

		16. OTHER INFORMATION
16.1	Other Information:	WARNING! CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. Avoid breathing fume/ mist/vapors/spray. Wash exposed skin areas thoroughly with soap and water after handling. Wear protective gloves/eye protection/face protection. IF ON SKIN: Wash with soap and water. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If skin irritation or a rash occurs – Get medical advice/attention. Store in a well-ventilated place. Keep cool. Precisely follow directions and MSDS (available through your supplier) for use. Avoid skin contact. If redness or other signs of adverse reaction occur, discontinue use immediately. KEEP OUT OF REACH OF CHILDREN. FOR PROFESSIONAL USE ONLY.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
16.4	Prepared for:	OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5776 http://www.opi.com
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 6 of 6 SDS-042

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.1

SDS Revision Date: 2/8/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following: **GENERAL INFORMATION:**

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
TLV Threshold Limit Value		
OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit		
IDLH	Immediately Dangerous to Life and Health	

FIRST AID MEASURES:

Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood CPR and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:

Α	8		G		
в			н		
С		E.	I		
D		E.	J) 🗿 🕄
Е			К		
F			X	Consult your for special ha	supervisor or SOPs andling directions.
				_	
Sa	ifety Glasses	Splash Goggles		e Shield & tive Eyewear	Gloves
					\bigcirc
	Boots	Synthetic Apron	Protect	tive Clothing Full Suit	Dust Respirator

OTHER STANDARD ABBREVIATIONS:

Full Face Respirator

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

Full Face

Respirator

Airline Hood/Mask

or SCBA

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA


Dust & Vapor Half-

Mask Respirator

FLAMMABILITY LIMITS IN AIR:			
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		

HAZARD RATINGS:

HALAND RATINGO.			
0	Minimal Hazard		
1	Slight Hazard		
2	Moderate Hazard		
3	Severe Hazard		
4	Extreme Hazard		
ACD	Acidic		
ALK	Alkaline		
COR	Corrosive		
¥	Use No Water		
ох	Oxidizer		
TREFOIL	Radioactive		



TOXICOLOGICAL INFORMATION:

LD 50	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	S
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{lo}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{lo} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

DOT U.S. Department of Transportation TC Transport Canada EPA U.S. Environmental Protection Agency DSL Canadian Domestic Substance List NDSL Canadian Non-Domestic Substance List PSL Canadian Priority Substances List	WHMIS	Canadian Workplace Hazardous Material Information System
EPA U.S. Environmental Protection Agency DSL Canadian Domestic Substance List NDSL Canadian Non-Domestic Substance List	DOT	U.S. Department of Transportation
DSL Canadian Domestic Substance List NDSL Canadian Non-Domestic Substance List	TC	Transport Canada
NDSL Canadian Non-Domestic Substance List	EPA	U.S. Environmental Protection Agency
	DSL	Canadian Domestic Substance List
PSI Canadian Priority Substances List	NDSL	Canadian Non-Domestic Substance List
	PSL	Canadian Priority Substances List
TSCA U.S. Toxic Substance Control Act	TSCA	U.S. Toxic Substance Control Act
EU European Union (European Union Directive 67/548/EEC)	EU	European Union (European Union Directive 67/548/EEC)
WGK Wassergefährdungsklassen (German Water Hazard Class)	WGK	Wassergefährdungsklassen (German Water Hazard Class)

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	۲	٨		•	۲		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compresse d	Flammabl e	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

¶		N	¥,	8		×	×
с	E	F	Ν	0	т	Xi	Xn
Corrosive	Explosive	Flammabl e	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\diamondsuit		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment