

1.1

12

1.3

1.4

1.5

1.6

1.7

1.8

1.9

2.1

Page 1 of 6 **SDS-087**

SAFETY DATA SHEET Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 3.2 SDS Revision Date: 2/8/2016 1. PRODUCT & COMPANY IDENTIFICATION Product Name: **OPI SWISS-BLUE LIQUID HAND SOAP** Chemical Name **Aqueous Solution** Synonyms NA Trade Names SD 321, SD 323, SD 324, SD 328, SD 326, SD 329 Product Use Cosmetic Use Only Distributor's Name: **OPI Products, Inc.** Distributor's Address: 13034 Saticoy Street, No. Hollywood, CA 91605 USA Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377) Business Phone / Fax: +1 (818) 759-2400 / +1 (818) 759-5776 2. HAZARDS IDENTIFICATION This product is NOT classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS Hazard Identification: according to the classification criteria of NOHSC: 1088(2004) and ADG Code (Australia). WARNING! HARMFUL IF SWALLOWED. CAUSES SERIOUS EYE IRRITATION. Classification: Acute Tox. 4; Eye Irrit. 2B Hazard Statements (H): - H302 - Harmful if swallowed. H319 - Causes serious eye irritation. Precautionary Statements (P): P264 - Wash thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P301 + P312 - IF SWALLOWED: Call a POISON CENTER/doctor. P330 - Rinse mouth. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice/attention. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA ppm ppm ppm ES-ES-ES-CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. TLV STEL PEL STEL IDLH OTHER % TWA STEL PEAP ZC0110000 231-791-2 NA NA 7732-18-5 60-100 NA NF NF NF NA NA WATER (AQUA/EAU) 32612-48-9 NA NA NA NA NF NF NF NA NA NA 3.0-10.0 AMMONIUM LAURETH SULFATE Skin Irrit. 2; Eye Irrit. 2; H315, H319 NA 218-793-9 2235-54-3 NF NF NA NA NA 3.0-10.0 NA NA NF AMMONIUM LAURYL SULFATE Skin Irrit. 2; Eye Dam. 1; H315, H318 68140-00-1 268-770-2 NA NF NA NA NA NA NA NF NF 1.0-5.0 COCAMIDE MEA NA NF NF NF NA NA NA NA NA NA 68239-42-9 0.1-1.0 METHYL GLUCETH-20 88-04-0 NA 201-793-8 0.1-1.0 NA NA NF NF NF NA NA NA CHLOROXYLENOL Acute Tox. 4; Skin Irrit. 2; Skin Sens. 1; Eye Irrit. 2; H302, H315, H317, H319 97-59-6 YT1600000 202-592-8 0.0-0.1 NA NA NF NF NF NA NA NA ALLANTOIN AH4375000 205-358-3 NA NF NF NF NA NA NA 139-33-3 0.1-2.0 NA DISODIUM EDTA Acute Tox. 4, Skin Irrit. 2, Eye Irrit.2 STOT SE 3; H302, H315, H319, H335 NA NA NA 0.0-1.0 NA NA NF NF NF NA NA NA FRAGRANCE (PARFUM) NF 9003-39-8 NA NA NA NA NF NF NA NA NA NA POLYVINYLPYRROLIDONE (PVP) 101-86-0 GD6560000 202-983-3 0.0-1.0 NA NA NF NF NF NA NA NA ALLERGEN HEXYL CINNAMAL Skin Sens. 1B; Aquatic Chronic 2; H317, H411 3844-45-9 BQ4725000 223-339-8 0.0-1.0 NA NA NF NF NF NA NA NA CI 42090 (BLUE 1)



Page 2 of 6 **SDS-087**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.2

SDS Revision Date: 2/8/2016

			4. FIRST AID MEASURES	
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting! If product ha IMMEDIATELY. If the patient is vomiting, continue to unconscious person. Contact the nearest Poison Cor estimate of the time at which the material was ing swallowed.	o offer water or milk. Never give water or milk to an ntrol Center or local emergency number. Provide an
		<u>Eyes</u> :	If product gets in the eyes, flush with copious amoun and close eyelid(s) to ensure thorough irrigation. See seek immediate medical attention.	
		<u>Skin</u> :	If irritation occurs & product is on the skin, rinse thore washing of the affected area with plenty of soap and footwear and wash thoroughly before reuse. If irritation immediately.	water. Remove all contaminated clothing, including
		Inhalation:	Remove victim to fresh air at once. If breathing st medical attention.	ops, perform artificial respiration. Seek immediate
4.2	Effects of Exposure:	Ingestion: Eyes: Skin: Inhalation:	If product is swallowed, may cause nausea, vomiting, a Mildly irritating to eyes. May be irritating to skin on sensitive individuals. Inhalation is very unlikely.	and/or diarrhea.
4.3	Symptoms of Overexposure:		of skin overexposure in some sensitive individuals ma rexposure in eyes may cause redness, itching and wateri	
4.4	Acute Health Effects:	Mild irritation	n to eyes and skin near affected areas.	×
4.5	Chronic Health Effects:	None known sensitive ind	n; however ingredients contained in very small quantiti lividuals.	ies in this product, may be mild allergens to some
4.6	Target Organs:	Eyes, Skin		
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the		HEALTH 0
		target organ	s (eyes, skin, respiratory system).	FLAMMABILITY 0
				PHYSICAL HAZARDS 0
				PROTECTIVE EQUIPMENT B
				EYES SKIN
				EYES SKIN
			5. FIREFIGHTING MEASURES	
5.1	Fire & Explosion Hazards:		5. FIREFIGHTING MEASURES t is not flammable. If involved in a fire, this product may hitrogen oxides.	b
5.2	Extinguishing Methods:	oxides and r Water, CO ₂ ,	t is not flammable. If involved in a fire, this product may nitrogen oxides. , Halon (if permitted), Dry Chemical	decompose to produce carbon
		oxides and r Water, CO ₂ , This product protection a entering stor	t is not flammable. If involved in a fire, this product may nitrogen oxides.	decompose to produce carbon responders should wear eye ole, prevent runoff water from s. Wash contaminated clothing
5.2	Extinguishing Methods:	oxides and r Water, CO ₂ , This product protection a entering stor	t is not flammable. If involved in a fire, this product may hitrogen oxides. , Halon (if permitted), Dry Chemical t is not flammable. If involved in a fire, emergency and SCBAs and other protective equipment. If possit rm drains, waterways or environmentally-sensitive areas ent with warm water and soap, followed by rinse before r	decompose to produce carbon responders should wear eye ole, prevent runoff water from s. Wash contaminated clothing eturning to service.
5.2	Extinguishing Methods:	oxides and r Water, CO ₂ , This produc protection a entering stor and equipment Before clea Equipment.	t is not flammable. If involved in a fire, this product may hitrogen oxides. , Halon (if permitted), Dry Chemical et is not flammable. If involved in a fire, emergency and SCBAs and other protective equipment. If possit rm drains, waterways or environmentally-sensitive areas ent with warm water and soap, followed by rinse before r 6. ACCIDENTAL RELEASE MEASU ning any spill or leak, individuals involved in spill cl Clean all spills promptly, spilled material may present a	decompose to produce carbon responders should wear eye ble, prevent runoff water from s. Wash contaminated clothing eturning to service. JRES eanup must wear appropriate Personal Protective slipping hazard.
5.2	Extinguishing Methods: Firefighting Procedures:	oxides and r Water, CO2, This product protection a entering stor and equipmed Before cleat Equipment. For small s ventilation (closed conta affected are wash thorout	t is not flammable. If involved in a fire, this product may hitrogen oxides. Halon (if permitted), Dry Chemical t is not flammable. If involved in a fire, emergency and SCBAs and other protective equipment. If possit rm drains, waterways or environmentally-sensitive areas ent with warm water and soap, followed by rinse before r 6. ACCIDENTAL RELEASE MEASU ning any spill or leak, individuals involved in spill cl Clean all spills promptly, spilled material may present a <u>pills</u> (e.g., <1 gallon) wear appropriate personal protect open doors and windows). Remove spilled material material warm water as and outside of container with plenty of warm water ughly before reuse.	decompose to produce carbon responders should wear eye ole, prevent runoff water from s. Wash contaminated clothing eturning to service. JRES eanup must wear appropriate Personal Protective slipping hazard. ctive equipment (e.g., goggles, gloves). Maximize with absorbent material and place into appropriate e with local, state and federal regulations. Wash all and soap. Remove any contaminated clothing and
5.2	Extinguishing Methods: Firefighting Procedures:	oxides and r Water, CO2. This product protection a entering stoid and equipment Before clead Equipment. For small s ventilation (closed conta affected are wash thorout For large sp or earth). disposal.	t is not flammable. If involved in a fire, this product may hitrogen oxides. Halon (if permitted), Dry Chemical t is not flammable. If involved in a fire, emergency and SCBAs and other protective equipment. If possit rm drains, waterways or environmentally-sensitive areas ent with warm water and soap, followed by rinse before r 6. ACCIDENTAL RELEASE MEASU ning any spill or leak, individuals involved in spill cl Clean all spills promptly, spilled material may present a <u>pills</u> (e.g., <1 gallon) wear appropriate personal protect open doors and windows). Remove spilled material ainer(s) for disposal. Dispose of properly in accordance was and outside of container with plenty of warm water	decompose to produce carbon responders should wear eye ble, prevent runoff water from s. Wash contaminated clothing eturning to service. JRES eanup must wear appropriate Personal Protective slipping hazard. ctive equipment (e.g., goggles, gloves). Maximize with absorbent material and place into appropriate e with local, state and federal regulations. Wash all and soap. Remove any contaminated clothing and Dike and contain spill with inert material (e.g., sand solid diking material to separate containers for proper ed skin areas with soap and water. Keep spills and
6.1	Extinguishing Methods: Firefighting Procedures: Spills:	oxides and r Water, CO2. This product protection a entering stor and equipment For small s ventilation (closed contra affected are wash thorou For large sp or earth). Tr disposal. R cleaning run	t is not flammable. If involved in a fire, this product may hitrogen oxides. Halon (if permitted), Dry Chemical tt is not flammable. If involved in a fire, emergency ind SCBAs and other protective equipment. If possit rm drains, waterways or environmentally-sensitive areas ent with warm water and soap, followed by rinse before r 6. ACCIDENTAL RELEASE MEASU ning any spill or leak, individuals involved in spill cl Clean all spills promptly, spilled material may present a pills (e.g., <1 gallon) wear appropriate personal protect open doors and windows). Remove spilled material v ainer(s) for disposal. Dispose of properly in accordance as and outside of container with plenty of warm water ighly before reuse. iills ≥ 1 gallon, deny entry to all unprotected individuals. ransfer liquid to containers for recovery or disposal and s emove contaminated clothing promptly and wash affector	decompose to produce carbon responders should wear eye ble, prevent runoff water from s. Wash contaminated clothing eturning to service. JRES eanup must wear appropriate Personal Protective slipping hazard. ctive equipment (e.g., goggles, gloves). Maximize with absorbent material and place into appropriate e with local, state and federal regulations. Wash all and soap. Remove any contaminated clothing and Dike and contain spill with inert material (e.g., sand solid diking material to separate containers for proper ed skin areas with soap and water. Keep spills and water.
5.2 5.3 6.1 7.1	Extinguishing Methods: Firefighting Procedures: Spills: Work & Hygiene Practices:	oxides and r Water, CO2. This product protection a entering store and equipmed Before clead Equipment. For small s ventilation (closed conta affected are wash thoroud For large sp or earth). Th disposal. R cleaning run 7 Follow norm	t is not flammable. If involved in a fire, this product may <u>hitrogen oxides.</u> <u>Halon (if permitted), Dry Chemical</u> t is not flammable. If involved in a fire, emergency and SCBAs and other protective equipment. If possit rm drains, waterways or environmentally-sensitive areas ent with warm water and soap, followed by rinse before r 6. ACCIDENTAL RELEASE MEASU ning any spill or leak, individuals involved in spill cl Clean all spills promptly, spilled material may present a <u>pills</u> (e.g., <1 gallon) wear appropriate personal prote- open doors and windows). Remove spilled material v ainer(s) for disposal. Dispose of properly in accordance as and outside of container with plenty of warm water ighly before reuse. <u>ills</u> ≥ 1 gallon, deny entry to all unprotected individuals. ransfer liquid to containers for recovery or disposal and s emove contaminated clothing promptly and wash affect. 10. HANDLING & STORAGE INFORM al hygiene practices. Do not eat, drink or smoke while h	decompose to produce carbon responders should wear eye ole, prevent runoff water from s. Wash contaminated clothing eturning to service. JRES eanup must wear appropriate Personal Protective slipping hazard. ctive equipment (e.g., goggles, gloves). Maximize with absorbent material and place into appropriate e with local, state and federal regulations. Wash all and soap. Remove any contaminated clothing and Dike and contain spill with inert material (e.g., sand solid diking material to separate containers for proper ed skin areas with soap and water. Keep spills and water. ATION andling product.
6.1	Extinguishing Methods: Firefighting Procedures: Spills:	oxides and r Water, CO2. This product protection a entering store and equipmed Before clead Equipment. For small s ventilation (closed conta affected are wash thoroud For large sp or earth). Tidisposal. R cleaning run 7 Follow norm Store contai away from i	t is not flammable. If involved in a fire, this product may hitrogen oxides. , Halon (if permitted), Dry Chemical tt is not flammable. If involved in a fire, emergency and SCBAs and other protective equipment. If possit rm drains, waterways or environmentally-sensitive areas ent with warm water and soap, followed by rinse before r 6. ACCIDENTAL RELEASE MEASU ning any spill or leak, individuals involved in spill cl Clean all spills promptly, spilled material may present a <u>pills</u> (e.g., <1 gallon) wear appropriate personal prote- open doors and windows). Remove spilled material va- ainer(s) for disposal. Dispose of properly in accordance as and outside of container with plenty of warm water ighly before reuse. <u>ills</u> ≥ 1 gallon, deny entry to all unprotected individuals. ransfer liquid to containers for recovery or disposal and s emove contaminated clothing promptly and wash affect. 1. HANDLING & STORAGE INFORM	decompose to produce carbon responders should wear eye ole, prevent runoff water from s. Wash contaminated clothing eturning to service. JRES eanup must wear appropriate Personal Protective slipping hazard. ctive equipment (e.g., goggles, gloves). Maximize with absorbent material and place into appropriate e with local, state and federal regulations. Wash all and soap. Remove any contaminated clothing and Dike and contain spill with inert material (e.g., sand solid diking material to separate containers for proper ed skin areas with soap and water. Keep spills and water. ATION andling product. ther light sources, or sources of intense heat. Store Reactivity). Inspect all incoming containers before



Page 3 of 6 **SDS-087**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.2

SDS Revision Date: 2/8/2016

		8. EXPOSURE CONT								1	
8.1	Exposure Limits: ppm (mg/m ³)		ACGIH	ES-	NOHSC ES-	ES-		OSHA	1	OTHER	
	ppm (mg/m)	CHEMICAL NAME(S)	TLV STEL	TWA	STEL	PEAK	PEL	STEL	IDLH		
		HEXYL CINNAMAL	NA NA	NF	NF	NF	NA	NA	NA	ALLERGEN	
8.2	Ventilation & Engineering Controls:	When working with large quantitie that an eyewash station or washb						cal exh	aust ver	ntilation, fans).	Ensure
8.3	Respiratory Protection:	necessary, use only respiratory applicable U.S. State regulation	No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized in U.S. Federal OSHA's 29 CFR 1910.134, applicable U.S. State regulations, or the appropriate standards of Canada, its Provinces, EU member states, or Australia. Use supplied air respiration protection if oxygen levels are below 19.5% or are unknown.								
8.4	Eye Protection:		Avoid eye contact. None required under normal conditions of use. However, may cause irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), safety glasses with								
8.5	Hand Protection:	None required under normal co sensitive individuals.	onditions of u	se. Howe	ever, ma	y cause	skin iri	itation	in some	Э	
8.6	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.									
		9. PHYSICAL	& CHEM		PROP	ERTIE	S				
9.1	Appearance:	Blue, translucent liquid									
9.2	Odor:	A mild, sweet odor									
9.3	Odor Threshold:	NE									
9.4	pH:	5.7 – 6.2									
9.5	Melting Point/Freezing Point:	NE									
9.6	Initial Boiling Point/Boiling Range:	212 °F									
9.7 9.8	Flashpoint: Upper/Lower Flammability	Non-flammable									
9.9	Limits: Vapor Pressure:	NA									
9.10	Vapor Density:	NA									
9.11	Relative Density:	1.1									
9.12	Solubility:	Soluble in water									
9.13	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
9.15	Decomposition Temperature:	NA									
9.16	Viscosity:	Medium viscosity									
9.17	Other Information:	NA									
		10. STA	BILITY &	REAC		Y					
10.1	Stability:	Stable under ambient conditions	when stored pr	operly (S	ee Sectio	n 7, Stora	ige and	Handlir	ıg).		
10.2	Hazardous Decomposition Products:	NA									
10.3	Hazardous Polymerization:	Will not occur.									
10.4	Conditions to Avoid:	Exposure to or contact with extrem	me temperature	es, strong	light sou	rces or in	compat	ible mat	erials.		
10.5	Incompatible Substances:	None known.	P = 1.100	,	, , , , , , , , , , , , , , , , , , , ,						
	1		DLOGICA								
11.1	Routes of Entry:	Inhalation: NO			rption: YE				Ingest	. = 0	
11.2	Toxicity Data:	This product has not been tested of this product, which are found in									ponents
11.3	Acute Toxicity:	See Section 4.4									
11.4	Chronic Toxicity:	See Section 4.5									
11.5	Suspected Carcinogen:	This product contains Polyvinylpy IARC.	<u>rrolidone</u> , whic	h is not c	arcinoger	nic to hum	nans, bi	ut is liste	ed as a (Group 3 carcin	ogen by



Page 4 of 6 **SDS-087**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.2

SDS Revision Date: 2/8/2016

	11. TOXICOLOGICAL INFORMATION – cont'd				
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.			
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.			
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.			
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans.			
	Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.			
11.7	Irritancy of Product:	Can irritate skin and eyes in some sensitive individuals.			
11.8	Biological Exposure Indices:	NE			
11.9	Physician Recommendations:	Treat symptomatically.			

12. ECOLOGICAL INFORMATION

12.1	Environmental Stability:	This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds.			
12.2	Effects on Plants & Animals:	There are no specific data available for this product.			
12.3	Effects on Aquatic Life:	There are no specific data available for this product.			

13. DISPOSAL CONSIDERATIONS

13.1	Waste Disposal:	This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds.	
13.2	Special Considerations:	There are no specific data available for this product.	

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED

15. REGULATORY INFORMATION

15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements.		
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.		
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory or are otherwise exempt.		
15.4	CERCLA Reportable Quantity (RQ):	NA		
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).		
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.		
15.7	State Regulatory Information:	No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).		
15.8	Other Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC: Irritant (Xi) <u>Risk Phrases</u> (R):36 – Irritating to eyes. <u>Safety Phrases</u> (S): 25-45 – Avoid contact with eyes. In case of accident or if you feel unwell, seek medical advice immediately and show this container label.		



Page 5 of 6 **SDS-087**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.2

SDS Revision Date: 2/8/2016

		16. OTHER INFORMATION
16.1	Other Information:	WARNING! HARMFUL IF SWALLOWED. CAUSES SERIOUS EYE IRRITATION. Use only as directed. Avoid eye contact. If contact occurs, flush eye thoroughly with running water for 15 minutes. Seek
		medical attention. If redness or other signs of adverse reaction occur, discontinue use immediately. If irritation persists, seek medical attention. KEEP OUT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
16.4	Prepared for:	OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5776 http://www.opi.com
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 6 of 6 **SDS-087**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.2

SDS Revision Date: 2/8/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following: GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
TLV	Threshold Limit Value	
OSHA	U.S. Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
IDLH	Immediately Dangerous to Life and Health	

FIRST AID MEASURES:

CPR Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:

Α	Ð		G 🌍 🖤 😨
В			н 🌍 🚯 🍪 😒
С	9	E3	ı 🕞 🚯 😧
D	B	E	J 🖨 🚺 🗑 R
Е			к 🚱 🖤 🚯 🔇
F			X Consult your supervisor or SOPs for special handling directions.
Sa	ifety Glasses	Splash Goggles	Face Shield & Gloves
Boots		Synthetic Apron	Protective Clothing & Full Suit

OTHER STANDARD ABBREVIATIONS:

Full Face Respirator

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

Full Face

Respirator

Airline Hood/Mask or SCBA

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA


Dust & Vapor Half-

Mask Respirator

FLAMMABILITY LIMITS IN AIR:							
Autoignition	Minimum temperature required to initiate combustion in air with no other						
Temperature	source of ignition						
LEL							
explode or ignite in the presence of an ignition source							
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will						
	explode or ignite in the presence of an ignition source						

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
ох	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals				
	S				
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal				
ppm	Concentration expressed in parts of material per million parts				
TD _{Io}	Lowest dose to cause a symptom				
TCLo	Lowest concentration to cause a symptom				
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects				
TC, TC _o , LC _{lo} , & LC _o					
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	Registry of Toxic Effects of Chemical Substances				
BCF	Bioconcentration Factor				
TLm	Median threshold limit				
log Kow or log Koc	Coefficient of Oil/Water Distribution				

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\bigcirc	۲	٨	\bigcirc	1	۲		Ŕ
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		N	¥	8	.	×	×
с	E	F	Ν	0	т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\diamondsuit		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment