$0.9 \cdot 1$

1.2

1.3

1.4

1.5

1.6

1.7

1.9

Business Phone / Fax:

Eirot Aid:

SAFETY DATA SHEET

Page 1 of 6 **SDS-135**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.1

SDS Revision Date: 2/8/2016

| 1. PRODUCT & COMPANY IDENTIFICATION | | | | |
|-------------------------------------|---|--|--|--|
| Product Name: | OPI AXXIUM SOFT WHITE SCULPTURE GEL | | | |
| Chemical Name: | Methacrylate Mixture | | | |
| Synonyms: | NA | | | |
| Trade Names: | NA | | | |
| Product Use: | Professional Use Only | | | |
| Distributor's Name: | OPI Products, Inc. | | | |
| Distributor's Address: | 13034 Saticoy Street, No. Hollywood, CA 91605 USA | | | |
| Emergency Phone: | CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377) | | | |

2. HAZARDS IDENTIFICATION

Hazard Identification: This product is classified as a hazardous substance but NOT as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia).

WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION.

Classification: Skin Sens. 1A; Eye Irrit. 2B; STOT SE 3

+1 (818) 759-2400 / +1 (818) 759-5776

<u>Hazard Statements</u> (H): H317 – May causes allergic skin reaction. H320 – Causes eye irritation.

H335 - May cause respiratory irritation.

Precautionary Statements (P): P264 – Wash exposed skin areas thoroughly with soap and water after handling. P272 – Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves/eye protection/face protection. P280 – Wear protective gloves/eye protection. P302+P352 – IF ON SKIN: Wash with soap and water. P333+P313 – If skin irritation or a rash occurs: Get medical advice/attention. P305+P351+P338 – IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P321 – For specific first aid treatment See Section 4 of this Safety Data Sheet. P370+P378 - In case of fire, CO₂, Halon (if permitted), dry chemical, or foam for extinction. P403+P235 – Store in a well-ventilated place. Keep cool. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).



3. COMPOSITION & INGREDIENT INFORMATION

| | | | | EXPOSURE LIMITS IN AIR (mg/m³) | | | | | | | | | |
|--|------------------------|---------------------|-------------------|--------------------------------|------|------|----|-------------|-------------|------|------|------|-------|
| | | | | | AC | GIH | | NOHSC | ; | | OSHA | | 1 |
| | | | | | р | pm | | ppm | | | ppm | | |
| CHEMICAL NAME(S) | CAS No. | RTECS No. | EINECS No. | % | TLV | STEL | | ES- STEL | ES- PEAK | PEL | STEL | IDLH | OTHER |
| ACRYLATES/CARBMATE | NA | NA | NA | 60-100 | NA | NA | NF | NF | NF | NA | NA | NA | |
| COPOLYMER (POLYURETHANE ACRYLATE OLIGOMER) | Skin Irrit. 2; Ey | ve Irrit. 2; Aq. Ch | ronic 4; H315, H3 | 319, H413 | | | | | | | | | |
| TRIETHYLENE GLYCOL | 109-16-0 | OZ4100000 | 203-652-6 | 15-40 | NA | NA | NF | NF | NF | NA | NA | NA | |
| DIMETHACRYLATE | | | | | | | | | | | | | |
| SILICA DIMETHYL SILYLATE | 68611-44-9 | NA | 271-893-4 | 7.0-13 | NA | NA | NF | NF | NF | NA | NA | NE | |
| GIEIO/C DIMETTITE GIETE/CTE | | | | | | | | | | | | | |
| BENZOYL ISOPROPANOL | 7473-98-5 | NA | 231-272-0 | 1.0-5.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| BENZOTE ISOT NOT ANOL | Acute Tox. 4; I | H302 | | | | | | | | | | | |
| POLYQUATERNIUM 37 | 26161-33-1 | KQ6300000 | NA | 1.0-5.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| POLIQUATERNIOW 37 | Aquatic Chronic 3;H412 | | • | | | | | | | | | | |
| PROPYLENE GLYCOL | 68583-51-7 | ZC0110000 | 271-516-3 | 1.0-5.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| DICAPRYLATE | | | • | • | • | | • | • | | | • | | |
| DDG 4 TDIDEGETH 6 | NA | NA | NA | 1.0-5.0 | NA | NA | NF | NF | NF | NA | NA | NA | |
| PPG-1 TRIDECETH 6 | | | | | | | | | | | | | |
| CL 77004 (TITATAIL IM DIOVIDE) | 13463-67-7 | XR2275000 | 236-675-5 | 0.1-1 | (10) | NA | NF | NF | NF | (10) | NA | NA | |
| CI 77891 (TITATNIUM DIOXIDE) | | | 1 | 1 | | | 1 | | | | 1 | | |

4. FIRST AID MEASURES

| 4.1 | FIISLAIG: | Ingestion: | If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk |
|-----|-----------|-------------|---|
| | | | IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an |
| | | | unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an |
| | | | estimate of the time at which the material was ingested and the amount of the substance that was |
| | | | swallowed. |
| | | Eyes: | Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water |
| | | | for at least 15 minutes. If irritation occurs, contact a physician. |
| | | Skin: | If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough |
| | | | washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a |
| | | | physician immediately. |
| | | Inhalation: | Remove victim to fresh air. |
| | | | |

 $0.9 \cdot 1$

SAFETY DATA SHEET

Page 2 of 6 SDS-135

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 4.1 SDS Revision Date: 2/8/2016 4. FIRST AID MEASURES - cont'd 42 Effects of Exposure: If product is swallowed, may cause nausea, headache, vomiting and/or diarrhea and central nervous Ingestion: system depression. Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. Eyes: Skin: May be irritating to skin in some sensitive individuals, especially after prolonged and/or repeated contact. Inhalation of vapors is unlikely under normal conditions of use and handling; however, inhalation of vapors Inhalation: in excess of the levels listed in Section 3 (Composition and Ingredient Information) can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea). Symptoms of Overexposure: 4.3 Symptoms of skin overexposure in some sensitive individuals may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. 44 Acute Health Effects: Mild to moderate irritation to eyes and skin near affected areas. 4.5 Chronic Health Effects: None known. 4 6 Target Organs: Eyes, Skin Pre-existing dermatitis, other skin conditions, and disorders of the HEALTH 47 Medical Conditions 1 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 1 PHYSICAL HAZARDS 1 В PROTECTIVE EQUIPMENT EYES SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: Exothermic polymerization may cause containers to rupture. Cool containers with water to prevent polymerization. This product is a non-flammable liquid. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO₂, NO_x). 5.2 Extinguishing Methods: CO₂, Halon (if permitted), Dry Chemical, Foam 5.3 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of drains, municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, 7.1 Work & Hygiene Practices: drink or smoke while handling product. 72 Storage & Handling: Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (See Section 10, Stability and Reactivity). Material should be stored in secondary containers as appropriate. 7.3 Special Precautions Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: ACGIH NOHSC OSHA OTHER ppm (mg/m³) STEL STEL IDLH TI V STFI PFI CHEMICAL NAME(S) TWA PEAK NA NF NF NF NA CI 77891 (TITATNIUM DIOXIDE) (10)(10)NA 8.2 Ventilation & Engineering When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station or washbasin is available in case of exposure to eyes

$O \cdot P \cdot I$

SAFETY DATA SHEET

Page 3 of 6 SDS-135

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 4.1 SDS Revision Date: 2/8/2016 8. EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd 8.1 Ventilation & Engineering When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Controls: Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes 8.2 Respiratory Protection No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, EU member states, or Australia. 8.3 Eye Protection: Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. 8.4 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear neoprene or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada or the EU member states. 8.5 No special body protection is required under typical circumstances of use and handling. Body Protection: necessary, refer to appropriate standards of Canada, the EU member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: 9.1 White viscous gel 92 Odor: Characteristic acrylates odor 9.3 Odor Threshold: 9.4 NA Melting Point/Freezing Point: 9.5 NF 9.6 Initial Boiling Point/Boiling > 212 °F Range: ND 9.7 Flashpoint Upper/Lower Flammability 9.8 ND Limits: Vapor Pressure: 9.9 NE Vapor Density 9.10 NA Relative Density: 9.11 1.1036 9 12 Solubility Immiscible 9 13 Partition Coefficient (log Pow): NA 9.14 **Autoignition Temperature** NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: 300,000 cPs 9.17 Other Information: NA 10. STABILITY & REACTIVITY Stability: Stable under ambient conditions when stored properly (See Section 7, Storage and Handling) 10.1 If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors and 10.2 Hazardous Decomposition Products: carbon oxide gases (e.g., CO, CO₂). May occur, if exposed to extremely high temperatures. Hazardous Polymerization: 10.3 10.4 Conditions to Avoid None known This product is incompatible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., 10.5 Incompatible Substances: hydrochloric or muriatic acids), or strong bases (e.g., lye, potassium hydroxide) 11. TOXICOLOGICAL INFORMATION Routes of Entry Inhalation: YES Absorption: YES Ingestion: YES 11.1 This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components 11.2 Toxicity Data: of the product, which are found in scientific literature. This data has not been presented in this document. 11.3 Acute Toxicity: See Section 4.4 Chronic Toxicity: 11.4 See Section 4.5 11.5 Suspected Carcinogen: NA 11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans This product is not reported to produce mutagenic effects in humans. Mutagenicity: Embryotoxicity This product is not reported to produce embryotoxic effects in humans This product is not reported to cause teratogenic effects in humans. Teratogenicity: Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 4.3 11.8 Biological Exposure Indices: NF 11.9 Physician Recommendations: Treat symptomatically.

$O \cdot P \cdot I$

SAFETY DATA SHEET

Page 4 of 6 SDS-135

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 4.1 SDS Revision Date: 2/8/2016 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There are no specific data available for this product. 122 Effects on Plants & Animals: There are no specific data available for this product. 12.3 Effects on Aquatic Life: There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13 1 Waste Disposal: Waste disposal must be in accordance with appropriate federal, state, and local regulations. 13.2 Special Considerations: NA 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): NOT REGULATED 14.2 IATA (AIR): NOT REGULATED IMDG (OCN): 14.3 **NOT REGULATED** TDGR (Canadian GND): 144 **NOT REGULATED** 14.5 ADR/RID (FU): NOT REGULATED 14.6 SCT (MEXICO): NOT REGULATED 14.7 ADGR (AUS): NOT REGULATED 15. REGULATORY INFORMATION 15.1 SARA Reporting This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements. SARA Threshold Planning 15.2 There are no specific Threshold Planning Quantities for the components of this product. Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory or are otherwise exempt. CERCLA Reportable Quantity 15.4 (RQ): Other Federal Requirements: 15.5 This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements: The primary components of this product are NOT listed in Annex I of EU Directive 67/548/EEC. Irritant (Xi). Risk Phrases (R): R36/37/38 - Irritating to eyes, skin and respiratory system. Safety Phrases (S): S(2)-3/7-24/25-39 - Keep out of the reach of children. Keep container tightly closed in a cool place. Avoid contact with skin and eyes. Wear eye protection. 16. OTHER INFORMATION MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. Other Information: MAY CAUSE RESPIRATORY IRRITATION. Use only as directed. Irritating to eyes, skin and respiratory system. Keep container tightly closed in a cool place. Avoid contact with skin and eyes. Wear eye protection. Do not take internally. Keep away from heat and open flame. KEEP OUT OF REACH OF CHILDREN! Terms & Definitions: 16.2 See last page of this Safety Data Sheet 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: OPI Products, Inc. 13034 Saticoy Street ()·P·I No. Hollywood, CA 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5776 http://www.opi.com

 $O \cdot P \cdot I$

SAFETY DATA SHEET

Page 5 of 6 **SDS-135**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.1

SDS Revision Date: 2/8/2016

Prepared by:

ShipMate, Inc. P.O. Box 787

Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700

http://www.shipmate.com



SAFETY DATA SHEET

Page 6 of 6 **SDS-135**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 2/8/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

| CAS No. | Chemical Abstract Service Number |
|---------|----------------------------------|
| | |

EXPOSURE LIMITS IN AIR:

| ACGIH | American Conference on Governmental Industrial Hygienists | | | |
|--------------------------------|---|--|--|--|
| TLV | Threshold Limit Value | | | |
| OSHA | U.S. Occupational Safety and Health Administration | | | |
| PEL Permissible Exposure Limit | | | | |
| IDLH | Immediately Dangerous to Life and Health | | | |

FIRST AID MEASURES:

| CPR | Cardiopulmonary resuscitation - method in which a person whose heart has |
|-----|---|
| | stopped receives manual chest compressions and breathing to circulate blood |
| | and provide oxygen to the body. |

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

| 0 | Minimal Hazard |
|---|-----------------|
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |



PERSONAL PROTECTION RATINGS:

| Α | | | |
|---|--|--|--|
| В | | | |
| С | | THE STATE OF THE S | |
| D | | | |
| E | | | |
| F | | | |

















Full Face Respirator

Dust & Vapor Half-Mask Respirator

Full Face Respirator

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


| NA | Not Available |
|---|-----------------|
| NR | No Results |
| NE | Not Established |
| ND | Not Determined |
| ML | Maximum Limit |
| SCBA Self-Contained Breathing Apparatus | |

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

| FLAMMABILI | FLAMMABILITY LIMITS IN AIR: | | | | |
|-----------------------------|---|--|--|--|--|
| Autoignition Temperature | Minimum temperature required to initiate combustion in air with no other source of ignition | | | | |
| LEL | Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source | | | | |
| UEL | Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source | | | | |

HAZARD RATINGS:

| 0 | Minimal Hazard |
|---------|-----------------|
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |
| ACD | Acidic |
| ALK | Alkaline |
| COR | Corrosive |
| W | Use No Water |
| ОХ | Oxidizer |
| TREFOIL | Radioactive |



TOXICOLOGICAL INFORMATION:

| LD ₅₀ | Lethal Dose (solids & liquids) which kills 50% of the exposed animals s |
|--|---|
| LC 50 | Lethal concentration (gases) which kills 50% of the exposed animal |
| ppm | Concentration expressed in parts of material per million parts |
| TD _{io} | Lowest dose to cause a symptom |
| TCLo | Lowest concentration to cause a symptom |
| TD _{Io} , LD _{Io} , & LD _o or | Lowest dose (or concentration) to cause lethal or toxic effects |
| TC, TC _o , LC _{io} , & LC _o | |
| IARC | International Agency for Research on Cancer |
| NTP | National Toxicology Program |
| RTECS | Registry of Toxic Effects of Chemical Substances |
| BCF | Bioconcentration Factor |
| TL _m | Median threshold limit |
| log Kow or log Koc | Coefficient of Oil/Water Distribution |

REGULATORY INFORMATION:

| WHMIS | Canadian Workplace Hazardous Material Information System | | | | |
|-------|--|--|--|--|--|
| DOT | U.S. Department of Transportation | | | | |
| TC | Transport Canada | | | | |
| EPA | U.S. Environmental Protection Agency | | | | |
| DSL | Canadian Domestic Substance List | | | | |
| NDSL | Canadian Non-Domestic Substance List | | | | |
| PSL | Canadian Priority Substances List | | | | |
| TSCA | U.S. Toxic Substance Control Act | | | | |
| EU | EU European Union (European Union Directive 67/548/EEC) | | | | |
| WGK | Wassergefährdungsklassen (German Water Hazard Class) | | | | |

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

| 0 | (*) | (A) | (2) | \odot | ® | | m |
|------------|------------|------------|------------|------------|------------|-----------|----------|
| Class A | Class B | Class C | Class D1 | Class D2 | Class D3 | Class E | Class F |
| Compressed | Flammable | Oxidizing | Toxic | Irritation | Infectious | Corrosive | Reactive |

EC (67/548/EEC) INFORMATION:

| 13 | | M | * | | \$ | × | × |
|-----------|-----------|-----------|---------|-----------|-----------|----------|---------|
| С | E | F | Ν | 0 | Т | Xi | Xn |
| Corrosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |

CLP/GHS (1272/2008/EC) PICTOGRAMS:

| | | | \Diamond | | | \Diamond | | * |
|-----------|-----------|----------|-------------|-----------|-------|-----------------------|------------------|-------------|
| GHS01 | GHS02 | GHS03 | GHS04 | GHS05 | GHS06 | GHS07 | GHS08 | GHS09 |
| Explosive | Flammable | Oxidizer | Pressurized | Corrosive | Toxic | Harmful Irritating | Health Hazard | Environment |