$O \cdot P \cdot I$ 

# **SAFETY DATA SHEET**

Page 1 of 5 SDS-142

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.1

SDS Revision Date: 2/8/2016

1 PRODUCT & COMPANY IDENTIFICATION	1	PRODUCT	& COMPANY	IDENTIFICATIO	N
------------------------------------	---	---------	-----------	---------------	---

	1. I RODOOT & COMIT ANTIDENTIFICATION					
1.1	Product Name:	AXXIUM SOAK-OFF GEL SEALER				
1.2	Chemical Name:	Methacrylate Mixture				
1.3	Synonyms:	NA				
1.4	Trade Names:	AX402				
1.5	Product Use:	Professional Use Only				
1.6	Distributor's Name:	OPI Products, Inc.				
1.7	Distributor's Address:	13034 Saticoy Street, No. Hollywood, CA 91605 USA				
1.8	Emergency Phone:	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377)				
1.9	Business Phone / Fax:	+1 (818) 759-2400 / +1 (818) 759-5776				

## 2. HAZARDS IDENTIFICATION

Hazard Identification:
This product is classified as a hazardous substance but NOT as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia).

WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION.

Classification: Skin Sens. 1A; Eye Irrit. 2B; STOT SE 3

<u>Hazard Statements</u> (H): H317 – May causes allergic skin reaction. H320 – Causes eye irritation. H335 – May cause respiratory irritation.

Precautionary Statements (P): P264 – Wash exposed skin areas thoroughly with soap and water after handling. P272 – Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves/eye protection/face protection. P280 – Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 – IF ON SKIN: Wash with soap and water. P305+P351+P338 – IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P333+P313 – If skin irritation or a rash occurs – Get medical advice/attention. P321 – For specific first aid treatment (See Section 4 of this Safety Data Sheet). P363 – Wash contaminated clothing before reuse. P370+P378 - In case of fire, CO<sub>2</sub>, Halon (if permitted), dry chemical, or foam for extinction. P403+P235 – Store in a well-ventilated place. Keep cool. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).



## 3. COMPOSITION & INGREDIENT INFORMATION

l													
					EXPOSURE LIMITS IN AIR (mg/m³)								
		ACGIH		NOHSC			OSHA						
					pp	om		ppm			ppm		I
							ES-	ES-	ES-				İ
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
POLYURETHANE ACRYLATE	NA	NA	NA	15-40	NA	NA	NF	NF	NF	NA	NA	NA	
OLIGOMERS													
POLYURETHANE METHACRYLATE	NA	NA	NA	10-30	NA	NA	NF	NF	NF	NA	NA	NA	
OGLIMER				•									
TRIETHYLENEGLYCOL	109-16-0	NA	203-652-6	10-30	NA	NA	NF	NF	NF	NA	NA	NA	
DIMETHACRYLATE													
ISOBORNYL ACRYLATE	5888-33-5	UD3940000	227-561-6	5-10	NA	NA	NF	NF	NF	NA	NA	NA	
ISOBORNIL ACRILATE	Skin Irrit.2, Eye	Irrit. 2, STOT SE	3, Aquatic Chro	nic 2; H31	5, H319	, H335	H411						
HYDROXYCYCLOHEXYL PHENYL	947-19-3	NA	213-426-9	1-5	NA	NA	NF	NF	NF	NA	NA	NA	
KETONE	Acute Tox. Oral	5; Aquatic Acute	3; H303, H402										
HYDROXYETHYL METHACRYLATE	868-77-9	OZ4725000	212-782-2	1-5	NA	NA	NF	NF	NF	NA	NA	NA	
(HEMA)	Eye Irrit. 2; Skir	rit. 2; Skin Sens	s. 1; H319, H31	5, H317									

# 4. FIRST AID MEASURES

			4. 1 11(01 / 11) IIIE/(001(E0
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
		Eyes:	Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.
		<u>Skin</u> :	If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.
		Inhalation:	Remove victim to fresh air at once. Seek immediate medical attention.

 $0.9 \cdot 1$ 

# SAFETY DATA SHEET

Page 2 of 5 SDS-142

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 4.1 SDS Revision Date: 2/8/2016 4. FIRST AID MEASURES - cont'd 4.2 Effects of Exposure: If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system Ingestion: depression. Vapor of this product may be mildly to moderately irritation to the eyes. Symptoms of overexposure may Eyes: include redness, itching, irritation and watering. Warning! This product will bond skin instantly. May undergo rapid polymerization on contact with clothing, releasing heat. Skin burns may result. May be irritating to skin in some sensitive individuals, especially Skin: after prolonged or repeated skin contact. Inhalation of vapors unlikely under normal use and handling. Vapors of this product may be slightly Inhalation: irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. 4.3 Symptoms of Overexposure: Symptoms of skin overexposure in some sensitive individuals may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. 4.4 Acute Health Effects: Mild to moderate irritation to eyes and skin near affected areas. 4.5 Chronic Health Effects: None known. 4 6 Target Organs: Eyes, Skin. Medical Conditions Pre-existing dermatitis, other skin conditions. 4.7 HEALTH Aggravated by Exposure: **FLAMMABILITY** 1 **PHYSICAL HAZARDS** 1 PROTECTIVE EQUIPMENT Α **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: Exothermic polymerization may cause containers to rupture. Cool containers with water to prevent polymerization Extinguishing Methods: 52 CO<sub>2</sub>, Halon (if permitted), Dry Chemical, Foam 5.3 Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. 6. ACCIDENTAL RELEASE MEASURES 6 1 Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of drains, municipal sewers and open bodies of water 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Avoid prolonged contact with the product. Avoid breathing vapors of this product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product. Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container 7.2 Storage & Handling: closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (See Section 10). Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may Special Precautions: 7.3 contain residual amounts of this product; therefore, empty containers should be handled with care. 8. EXPOSURE CONTROLS & PERSONAL **PROTECTION** Exposure Limits: ACGIH NOHSC OSHA OTHER ppm (mg/m<sup>3</sup>) TLV STEL **ES-TWA ES-STEL ES-PEAK** STEL CHEMICAL NAME(S) NF NF NA NA NA NA NA Ventilation & Engineering When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.

# $\mathbf{0.P \cdot I}$

12.2

12.3

Effects on Plants & Animals

Effects on Aquatic Life:

# SAFETY DATA SHEET

Page 3 of 5

SDS-142 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 2/8/2016 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, EU member states, or Australia. If necessary wear protective eyewear (e.g., safety glasses with side-shield) at all times when 8.4 Eye Protection: handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the EU member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the EU member states, or U.S. OSHA 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Clear viscous gel Odor: 9.2 Characteristic acrylates odor Odor Threshold: 9.3 NA 9.4 pH: ND 9.5 Melting Point/Freezing Point: ΝE 9.6 Initial Boiling Point/Boiling Range: > 212 °F 9.7 Flashpoint: ND 9.8 Upper/Lower Flammability Limits: ND 99 Vapor Pressure NE 9.10 Vapor Density: NA 9.11 Relative Density: 1.4900-1.5000 9.12 Solubility: **Immiscible** 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: 30,000 - 10,000 cPs 9.17 Other Information NA 10. STABILITY & REACTIVITY Stable under ambient conditions when stored properly (See Section 7, Storage and Handling). 10.1 Stability 10.2 Hazardous Decomposition Products: If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors and carbon oxide gases (e.g., CO, CO<sub>2</sub>) May occur, if exposed to extremely high temperatures. 10.3 Hazardous Polymerization: 10.4 Conditions to Avoid: 10.5 Incompatible Substances: This product is incompatible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or muriatic acids), or strong bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Absorption: Yes Ingestion: Yes Routes of Entry: 11.1 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. This data has not been presented in this document. Acute Toxicity: See Section 4.4 11.4 Chronic Toxicity: See Section 4.5 11.5 Suspected Carcinogen: Nο 11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans 11.7 Irritancy of Product: See Section 4.3 11.8 Biological Exposure Indices: NE 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION Environmental Stability There are no specific data available for this product.

There are no specific data available for this product.

There are no specific data available for this product.

 $0.6 \cdot 1$ 

# SAFETY DATA SHEET

Page 4 of 5 **SDS-142** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 2/8/2016 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Waste disposal must be in accordance with appropriate federal, state, and local regulations. 13.2 Special Considerations: U.S. EPA WASTE NUMBER: NA 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): NOT REGULATED IATA (AIR): NOT REGUALTED 14 2 NOT REGULATED 14.3 IMDG (OCN): 14.4 TDGR (Canadian GND): **NOT REGULATED** ADR/RID (EU): 14.5 NOT REGULATED 14.6 SCT (MEXICO) NOT REGULATED 14.7 ADGR (AUS): **NOT REGULATED** 15. REGULATORY INFORMATION This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements. 15.1 SARA Reporting Requirements: 15.2 SARA Threshold Planning Quantity: There are no specific Threshold Planning Quantities for the components of this product. 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory or are otherwise exempt. 15.4 CERCLA Reportable Quantity (RQ): 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Hydroxyethyl Methacrylate (HEMA) is found on the following state criteria list: NJ and PA 15.7 State Regulatory Information: No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements: The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: Hydroxyethyl Methacrylate (HEMA): Irritant (Xi). Risk Phrases (R): 36/38-43 - Irritating to eyes, and skin. May cause sensitization by skin contact. Safety Phrases (S): 2-26-28: Keep away from children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of soap and water. 16. OTHER INFORMATION WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. Use only as directed. Avoid eye contact. If contact 16.1 Other Information: occurs, flush eye thoroughly with running water. Use only in a well-ventilated area. If redness or other signs of adverse reaction occur, discontinue use immediately. Keep away from heat and open flame. Keep container closed. Store in a cool place. KEEP OUT OF REACH OF CHILDREN. 16.2 Terms & Definitions: See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: **OPI Products. Inc.** 13034 Saticoy Street ()·P·I No. Hollywood, CA 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5776 http://www.opi.com 16.5 Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com

# **SAFETY DATA SHEET**

Page 5 of 5 **SDS-142** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 2/8/2016

### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No. Chemical Abstract Service Number							
	EVECUEE LIMITO IN AID.						

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists			
TLV Threshold Limit Value				
OSHA U.S. Occupational Safety and Health Administration				
PEL Permissible Exposure Limit				
IDLH Immediately Dangerous to Life and Health				

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard			
1	1 Slight Hazard			
2	Moderate Hazard			
3 Severe Hazard				
4	Extreme Hazard			

HEALTH **FLAMMABILITY** PHYSICAL HAZARDS PERSONAL PROTECTION

### PERSONAL PROTECTION RATINGS:

Α			
В			
С	(E)		
D	(E)		
E		9	
F			





Splash Goggles



Synthetic Apron





Face Shield &

Protective Eyewear



**Dust & Vapor Half-**

Full Face Respirator

Airline Hood/Mask or SCBA

## OTHER STANDARD ABBREVIATIONS:


NA	Not Available			
NR	No Results			
NE	Not Established			
ND	Not Determined			
ML	IL Maximum Limit			
SCBA	Self-Contained Breathing Apparatus			
Flam.	Flammable			
Liq.	Liquid			
Sol.	Solid			
Tox.   Toxicity				
Irrit. Irritation				
Sens.	Senitization			
Ox.	Oxidizing			
Corr. Corrosion				
Repr.	Reproductive (Harm)			
Asp.	Aspiration			
Inh.	Inhalation			
Dam. Damage				
STOT SE	Specific Target Organ Toxicity – Single Exposure			
STOT RE	Specific Target Organ Toxicity – Repeated Exposure			

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI*	FLAMMABILITY LIMITS IN AIR:					
Autoignition	Minimum temperature required to initiate combustion in air with no other source					
Temperature	of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will					
	explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will					
	explode or ignite in the presence of an ignition source					

#### **HAZARD RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	S
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>Io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(*)</b>	<b>(</b>	<b>@</b>	$\odot$	(1)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### EC (67/548/EEC) INFORMATION:

T.		N	*		<b>Q</b>	×	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

# CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			<b>\</b>		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environ- ment