

Page 1 of 6 **SDS-219**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.2

1.1	Product Name:	AXXIUM	OPAQUI	E PINK SC		URE	GE	L						
1.2	Chemical Name:	_	hacrylate Mixture											
1.3	Synonyms:	NA												
1.4	Trade Names:	AX 142, AX 14	44											
1.5	Product Use:	Professional L												
1.6	Distributor's Name:	OPI Products,												
1.7	Distributor's Address:	13034 Saticov	/ Street, No. H	lollywood, CA 9	1605 USA	۱.								
1.8	Emergency Phone:	CHEMTRE	C: +1 (703) 527-3887 /	+1 (800) 424	-9300) (CC	N 16	377)				
1.9	Business Phone / Fax:	+1 (818) 759				<u>,</u>				••••				
			21007 11 (01											
			2. H	AZARDS I	DENT	IFIC/	ATIC)N						
2.1	Hazard Identification:	classification of WARNING! I CAUSE RESP Classification: Hazard Stater H335 – May c Precautionary after handling P280 – Wear	criteria of [NO MAY CAUSE PIRATORY IR Skin Sens. 7 ments (H): H3 ause respirator Statements J. P272 – Co protective glo	A; Eye Irrit. 2B 317 – May caus ory irritation. (P): P264 – Wa ontaminated wor oves/eve protect	04)] and A SKIN RE es allergio sh expose rk clothing tion/face p	DG Co ACTIC c skin r ed skin g shoul	de (Au DN. C reactio areas d not Dn. P2	n. H3 thoro be allo 280 – 1). S EYE 20 – (bughly owed c Wear p	IRRIT Causes with so but of to protect	ATION s eye i oap ar the wo ive glo	N. MA	Y n. er e. ye	<u>(</u>)
		or a rash or continuously continue rinsin P370+P378 - P403+P235 - a licensed trea	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a we atment, storag	F ON SKIN – W nedical advice/ several minute or specific first fire, CO ₂ , Halo ell-ventilated pla- ge or disposal fa	attention. es. Remov aid treatm on (if pern ce. Keep icility (TSD	P308 ve cont lent (Se nitted), cool. F DF).	5+P35 act ler ee Sec dry c P501 -	1+P33 nses if ction 4 chemic - Dispo	8 – I prese of this al, or ose of	F IN nt and Safet foam conten	lf skin EYES I easy y Data for ex	to do Shee Shee	se t). n.	•
		or a rash or continuously continue rinsin P370+P378 - P403+P235 - a licensed trea	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a we atment, storag	nedical advice/ several minute or specific first fire, CO ₂ , Halo ell-ventilated pla	attention. es. Remov aid treatm on (if pern ce. Keep icility (TSD	P308 ve cont lent (Se nitted), cool. F DF).	5+P35 act ler ee Sec dry c P501 -	1+P33 nses if ction 4 chemic - Dispo	8 – I prese of this al, or ose of	F IN nt and Safet foam conten	If skin EYES I easy y Data for ex ts/con	3: Rins to do a Shee ktinctio tainer	se – t). n. to	•
		or a rash or continuously continue rinsin P370+P378 - P403+P235 - a licensed trea	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a we atment, storag	nedical advice/ several minute or specific first fire, CO ₂ , Halo ell-ventilated pla- ge or disposal fa	attention. es. Remov aid treatm on (if pern ce. Keep icility (TSD	P308 ve cont lent (Se nitted), cool. F DF).	5+P35 act ler ee Sec dry c P501 -	1+P33 nses if ction 4 chemic - Dispo ORN	8 – I prese of this al, or ose of	F IN nt and Safet foam conten	If skin EYES I easy y Data for ex ts/con	to do Shee Shee	se – t). n. to	
		or a rash or continuously continue rinsin P370+P378 - P403+P235 - a licensed trea	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a we atment, storag	nedical advice/ several minute or specific first fire, CO ₂ , Halo ell-ventilated pla- ge or disposal fa	attention. es. Remov aid treatm on (if pern ce. Keep icility (TSD	P308 ve cont lent (Se nitted), cool. F DF).	5+P35 act ler ee Sec dry c P501 - INF	1+P33 nses if ction 4 chemic - Dispo ORN	8 – I prese of this of this al, or bse of of Dse of I MATI EXPO NOHSC ppm	F IN nt and Safet foam conten	If skin EYES I easy y Data for ex ts/con	5: Rins to do a Shee ktinctio tainer	se – t). n. to	
СНЕМ	CAL NAME(S)	or a rash or continuously p370+P378 - P403+P235 - a licensed trea 3. CC	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a we atment, storag	nedical advice/. several minute or specific first : fire, CO ₂ , Halo ell-ventilated pla- ge or disposal fa	attention. es. Remov aid treatm on (if perm ce. Keep icility (TSE GREDI	P305 ve cont ent (Se nitted), cool. f DF). ENT ACC PP	5+P35 act ler ee Sec dry c P501 - INF	1+P33 nses if ction 4 chemic - Dispo ORN	B – I prese of this al, or ose of MATI <u>EXPO</u> NOHSC ppm ES-	F IN nt and Safet foam conten SURE L	If skin EYES I easy y Data for ex its/con	S: Rins to do Shee ktinctio tainer	se 	OTHER
	ICAL NAME(S) URETHANE ACRYLATE	or a rash or continuously continue rinsin P370+P378 - P403+P235 - a licensed trea	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a we atment, storag	nedical advice/ several minute or specific first fire, CO ₂ , Halo ell-ventilated pla- ge or disposal fa	attention. es. Remov aid treatm on (if perm ce. Keep icility (TSE GREDI	P309 ve cont ent (Se nitted), cool. F DF). ENT ACC PP	5+P35 act ler ee Sec dry c P501 - INF BIH m STEL	1+P33 nses if ction 4 chemic - Dispo ORN	8 – I prese of this of this al, or bse of Dse of MATI EXPO NOHSC ppm	F IN nt and Safet foam conten	If skin EYES d easy y Data for ex its/con	E: Rins to do a Shee ktinctio tainer	se – t). n. to g/m ³)	OTHER
POLY OLIG (ACR		or a rash or continuously v continue rinsin P370+P378 - P403+P235 - a licensed treat 3. CC	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a we atment, storag	edical advice/. several minute or specific first : fire, CO ₂ , Halo ell-ventilated pla ge or disposal fa FION & INC EINECS No.	attention. es. Remov aid treatm on (if perm ce. Keep icility (TSE GREDI	P305 ve cont ent (Se nitted), cool. f DF). ENT ACC PP	5+P35 act ler ee Sec dry c P501 - INF	1+P33 nses if ction 4 chemic - Dispo ORN ES- TWA	8 – I prese of this al, or ose of MAT I EXPO NOHSC ppm ES- STEL	F IN nt and Safet foam conten SURE L ES- PEAK	If skin EYES I easy y Data for ex its/con	S: Rins to do Shee ktinctio tainer	se 	OTHER
POLY OLIG (ACR (ACR TRIE	URETHANE ACRYLATE DMERS YLATES/CARBAMATE DLYMER) THYLENE GLYCOL	or a rash or continuously v continue rinsin P370+P378 - P403+P235 - a licensed treat 3. CC	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a we atment, storag	edical advice/. several minute or specific first : fire, CO ₂ , Halo ell-ventilated pla ge or disposal fa FION & INC EINECS No.	attention. es. Remov aid treatm on (if perm ce. Keep icility (TSE GREDI	P309 ve cont ent (Se nitted), cool. F DF). ENT ACC PP	5+P35 act ler ee Sec dry c P501 - INF BIH m STEL	1+P33 nses if ction 4 chemic - Dispo ORN ES- TWA	8 – I prese of this al, or ose of MAT I EXPO NOHSC ppm ES- STEL	F IN nt and Safet foam conten SURE L ES- PEAK	If skin EYES d easy y Data for ex its/con	E: Rins to do a Shee ktinctio tainer	se – t). n. to g/m ³)	OTHER
POLY OLIG (ACR COPC	URETHANE ACRYLATE DMERS YLATES/CARBAMATE DLYMER)	or a rash or continuously v continue rinsin P370+P378 - P403+P235 - a licensed treat 3. CC CAS No. NA 109-16-0	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a weatment, storage DMPOSII RTECS No. NA	edical advice/. several minute or specific first st fire, CO ₂ , Halo ill-ventilated pla ge or disposal fa TION & INC EINECS No. NA 203-652-6	attention. s. Remov aid treatm on (if perm ce. Keep cility (TSE BREDII % 60-100	P305 ve cont ent (Se nitted), cool. F DF). ENT Acc PP TLV NA	5+P35 act ler ee Sec dry c P501 - INF 3IH m STEL NA	1+P33 nses if ction 4 chemic - Dispo ORN ORN ES- TWA NF	IS – I prese of this al, or pse of MATI EXPO NOHSC ppm ES- STEL NF	F IN nt and Safet foam conten SURE L	If skin EYES I easy y Data for exits/con	E: Rins to do Shee trinctio tainer	se – t). n. to g/m ³) IDLH NA	OTHER
POLY OLIG (ACR COPC TRIE DIME	URETHANE ACRYLATE DMERS YLATES/CARBAMATE DLYMER) THYLENE GLYCOL THACRYLATE	or a rash or continuously v continue rinsin P370+P378 - P403+P235 - a licensed treat 3. CC	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a we atment, storag	edical advice/ several minute or specific first s fire, CO ₂ , Halo e or disposal fa TON & INC EINECS No. NA	attention. s. Remov aid treatm on (if perm ce. Keep cility (TSE BREDII % 60-100	P305 ve cont ent (Se nitted), cool. F DF). ENT Acc PP TLV NA	5+P35 act ler ee Sec dry c P501 - INF 3IH m STEL NA	1+P33 nses if ction 4 chemic - Dispo ORN ORN ES- TWA NF	IS – I prese of this al, or pse of MATI EXPO NOHSC ppm ES- STEL NF	F IN nt and Safet foam conten SURE L	If skin EYES I easy y Data for exits/con	E: Rins to do Shee trinctio tainer	se 	OTHER
POLY OLIG (ACR COPC TRIE DIME	URETHANE ACRYLATE DMERS YLATES/CARBAMATE DLYMER) THYLENE GLYCOL	or a rash or continuously v continue rinsin P370+P378 - P403+P235 - a licensed treat 3. CC CAS No. NA 109-16-0 68611-44-9	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a weatment, storage DMPOSIT RTECS No. NA NA	edical advice/. several minute or specific first a fire, CO ₂ , Halo ell-ventilated play ge or disposal fa FION & INC EINECS No. NA 203-652-6 271-893-4	attention. es. Remov aid treatm on (if perrr ce. Keep icility (TSE BREDII % 60-100 15-40 7-13	P305 ve cont ent (Se nitted), cool. F DF). ENT Acc PP TLV NA	S+P35 act ler ee Sec dry c >501 - SIH m STEL NA NA NE	1+P33 nses if ction 4 chemic - Dispo ORN ORN NF	IS – I prese of this al, or ose of NATI EXPO NOHSC ppm ES- STEL NF	F IN nt and Safet foam conten ON SURE LI ES- PEAK NF	If skin EYES d easy y Data for ex- nts/con MITS IN PEL NA (6)	E Rins to do Shee ttinctio tainer AIR (my OSHA PPM STEL NA NA	se - t). n. to IDLH NA NE	
POLY DLIG ACR COPC TRIE DIME SILIC	URETHANE ACRYLATE DMERS YLATES/CARBAMATE DLYMER) THYLENE GLYCOL THACRYLATE A DIMETHYL SILYLATE	or a rash or continuously v continue rinsin P370+P378 - P403+P235 - a licensed treat 3. CC CAS No. NA 109-16-0 68611-44-9 TE 868-77-9	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a weatment, storage DMPOSIT RTECS No. NA NA OZ4725000	edical advice/. several minute or specific first : fire, CO ₂ , Halo ell-ventilated pla- ge or disposal fa FION & INC EINECS No. NA 203-652-6 271-893-4 212-782-2	attention. es. Remov aid treatm on (if perro- ce. Keep icility (TSE BREDI % 60-100 15-40 7-13 1-5	P305 ve cont ent (Se nitted), cool. F DF). ENT Acc PP TLV NA	5+P35 act ler ee Sec dry c 2501 - INF BIH m STEL NA	1+P33 nses if ction 4 chemic - Dispo ORN ORN NF	IS - I prese of this al, or pse of MATI <u>EXPO</u> NOHSC ppm ES- STEL NF	F IN nt and Safet foam conten ON SURE LI ES- PEAK NF	If skin EYES d easy y Data for ex- nts/con <u>MITS IN</u> PEL NA NA	E: Rins to do Shee ttinctio tainer	se 	
POLY DLIG ACR COPC TRIE DIME SILIC	URETHANE ACRYLATE DMERS YLATES/CARBAMATE DLYMER) THYLENE GLYCOL THACRYLATE A DIMETHYL SILYLATE	or a rash or continuously v continue rinsin P370+P378 - P403+P235 - a licensed treat 3. CC CAS No. NA 109-16-0 68611-44-9 Skin Irrit. 2, Si	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a weatment, storage DMPOSIT RTECS No. NA NA OZ4725000 kin Sens. 1, Eye	edical advice/. several minute or specific first : fire, CO ₂ , Halo ell-ventilated pla- ge or disposal fa TON & INC EINECS No. NA 203-652-6 271-893-4 212-782-2 el Irrit.2; H315, H31	attention. es. Remov aid treatm on (if perro- ce. Keep icility (TSE BREDI % 60-100 15-40 7-13 1-5	P305 ve cont ent (Se nitted), cool. F DF). ENT ACC PP TLV NA	STEL NA NA	1+P33 nses if ttion 4 chemic Dispo ORN NF NF NF	i8 – I prese of this ial, or pse of MATI EXPO NOHSC PPM ES- STEL NF	F IN nt and Safet foam conten SURE L ES- PEAK NF NF	If skin EYES d easy y Data for exits/con IMITS IN PEL NA (6) NA	E Rins to do Shee ttinctio tainer AIR (my OSHA PPM STEL NA NA	se - t). n. to IDLH NA NE	
POLY OLIG (ACR COPC TRIE DIME SILIC SILIC HYDF (HEM	URETHANE ACRYLATE DMERS YLATES/CARBAMATE DLYMER) THYLENE GLYCOL THACRYLATE A DIMETHYL SILYLATE	or a rash or continuously v continue rinsin P370+P378 - P403+P235 - a licensed treat 3. CC CAS No. NA 109-16-0 68611-44-9 TE 868-77-9	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a weatment, storage DMPOSIT RTECS No. NA NA OZ4725000	edical advice/. several minute or specific first : fire, CO ₂ , Halo ell-ventilated pla- ge or disposal fa FION & INC EINECS No. NA 203-652-6 271-893-4 212-782-2	attention. es. Remov aid treatm on (if perro- ce. Keep icility (TSE BREDI % 60-100 15-40 7-13 1-5	P305 ve cont ent (Se nitted), cool. F DF). ENT Acc PP TLV NA	S+P35 act ler ee Sec dry c >501 - SIH m STEL NA NA NE	1+P33 nses if ction 4 chemic - Dispo ORN ORN NF	IS – I prese of this al, or ose of NATI EXPO NOHSC ppm ES- STEL NF	F IN nt and Safet foam conten ON SURE LI ES- PEAK NF	If skin EYES d easy y Data for ex- nts/con MITS IN PEL NA (6)	E Rins to do Shee ttinctio tainer AIR (my OSHA PPM STEL NA NA	se - t). n. to IDLH NA NE	
POLY OLIGE (ACR COPC TRIET DIME SILIC HYDF (HEM CI 773	URETHANE ACRYLATE DMERS YLATES/CARBAMATE DLYMER) THYLENE GLYCOL THACRYLATE A DIMETHYL SILYLATE COXYETHYL METHACRYLA A) 391 (TITANIUM DIOXIDE)	or a rash or continuously v continue rinsin P370+P378 - P403+P235 - a licensed treat 3. CC CAS No. NA 109-16-0 68611-44-9 Skin Irrit. 2, Si	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a weatment, storage DMPOSIT RTECS No. NA NA OZ4725000 kin Sens. 1, Eye	edical advice/. several minute or specific first : fire, CO ₂ , Halo ell-ventilated pla- ge or disposal fa TON & INC EINECS No. NA 203-652-6 271-893-4 212-782-2 el Irrit.2; H315, H31	attention. attention. attention. S. Removald if permovald reactions attention att	P305 ve cont ent (Se nitted), cool. F DF). ENT ACC PP TLV NA	STEL NA NA	1+P33 nses if ttion 4 chemic Dispo ORN NF NF NF	i8 – I prese of this ial, or pse of MATI EXPO NOHSC PPM ES- STEL NF	F IN nt and Safet foam conten SURE L ES- PEAK NF NF	If skin EYES d easy y Data for exits/con IMITS IN PEL NA (6) NA	E Rins to do Shee ttinctio tainer AIR (m OSHA ppm STEL NA NA NA	se - t). n. to IDLH NA NE NA	
POLY OLIGE (ACR COPC TRIET DIME SILIC HYDF (HEM CI 773	URETHANE ACRYLATE DMERS YLATES/CARBAMATE DLYMER) HYLENE GLYCOL THACRYLATE A DIMETHYL SILYLATE COXYETHYL METHACRYLA A)	or a rash or continuously v continue rinsin P370+P378 - P403+P235 - a licensed treat 3. CC CAS No. NA 109-16-0 68611-44-9 Kin Irrit. 2, Sł 13463-67-7	302+P352 – I ccurs: Get n with water for ng. P321 – F In case of Store in a we atment, storage DMPOSIT RTECS No. NA NA OZ4725000 kin Sens. 1, Eye	edical advice/. several minute or specific first : fire, CO ₂ , Halo ell-ventilated pla ge or disposal fa FION & INC EINECS No. NA 203-652-6 271-893-4 212-782-2 e Irrit.2; H315, H31 236-675-5	attention. attention. attention. S. Removald if permovald reactions attention att	P305 ve cont ent (Se nitted), cool. F DF). ENT ACC PP TLV NA (6) (10)	5+P35 act ler ee Sec dry c P501 - INF M STEL NA NA NA NA NA	1+P33 hses if ttion 4 chemic Dispo ORN S R NF NF NF	i8 – I prese of this ial, or ose of MATI EXPO NOHSC ppm ES- STEL NF NF	F IN nt and Safet foam conten SURE LI ES- PEAK NF NF NF	If skin EYES d easy y Data for exits/con MITS IN PEL NA (6) NA (10)	E Rins to do Shee ttinctio tainer AIR (m OSHA ppm STEL NA STEL NA NA NA	se - t). n. to IDLH NA NE NA NA	



Page 2 of 6 **SDS-219**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.2

			4. FIRST AID MEASURES					
4.1	First Aid:	Ingestion: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.						
		<u>Eyes</u> :	Splashes are not likely; however, if product gets in the e for at least 15 minutes. If irritation occurs, contact a phy		ith copious a	mounts of luk	ewarm water	
		<u>Skin:</u>	If irritation occurs and product is on the skin, rinse thoro washing of the affected area with soap and water. If irri physician immediately.	ughly with lu				
4.2	Effects of Exposure:	Inhalation: Ingestion:	Remove victim to fresh air. If product is swallowed, may cause nausea, headac system depression.	ne, vomiting	g and/or diar	rhea and cer	ntral nervous	
		<u>Eyes</u> : <u>Skin:</u> Inhalation:	Irritating to the eyes. Symptoms of overexposure may i May be irritating to skin in some sensitive individuals, es Inhalation of vapors is unlikely under normal conditions in excess of the levels listed in Section 2 (Composit nervous system depression (e.g., drowsiness, dizziness	pecially after of use and on and Ing	er prolonged a handling; how redient Inform	and/or repeate vever, inhalat	ed contact. ion of vapors	
4.3	Symptoms of Overexposure:	areas. Over	of skin overexposure in some sensitive individuals may exposure in eyes may cause redness, itching and waterin		lness, itching	, and irritatio	n of affected	
4.4	Acute Health Effects:	Mild to mode	rate irritation to eyes and skin near affected areas.					
4.5	Chronic Health Effects:	None known	•					
4.6	Target Organs:	Eyes, Skin.		_				
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system). HEALTH FLAMMABILITY PHYSICAL HAZARDS PROTECTIVE EQUIPMENT						
				EYES	SKIN			
5.1			5. FIREFIGHTING MEASURES					
	Fire & Explosion Hazards:	polymerization	polymerization may cause containers to rupture. Cool coon. This product is a non-flammable liquid. When involve compose to form toxic gases (e.g., CO , CO_2 , NO_x).					
5.2	Extinguishing Methods:		(if permitted), Dry Chemical, Foam					
5.3	Firefighting Procedures:	decompose f First respond protective ed	is a combustible liquid. When involved in a fire, this p to produce carbon oxides. ders should wear eye protection. Structural firefighters quipment. Use a water spray or fog to reduce or direc ctually extinguishing a fire involving this product.	s must wea	r SCBAs and	d full		
		checave in a	etally exanguishing a me involving this product.					
			6. ACCIDENTAL RELEASE MEASU	RES				
6.1	Spills:	Equipment. For <u>small s</u> Maximize ve appropriate o Wash all aff clothing and	bills (e.g., < 1 gallon (3.8 L)) wear appropriate person poills (e.g., < 1 gallon (3.8 L)) wear appropriate person protilation (open doors and windows). Remove spilled closed container(s) for disposal. Dispose of properly in a ected areas and outside of container with plenty of we wash thoroughly before reuse.	nal protecti material w ccordance v arm water a	ve equipmen vith absorben with local, sta and soap. R	it (e.g., gogg t material an te and federa emove any o	les, gloves). Id place into I regulations. contaminated	
		For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with ine material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separat containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap an water. Keep spills and cleaning runoffs out of drains, municipal sewers and open bodies of water.						



Page 3 of 6 **SDS-219**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.2

7.1	Work & Hygiene Practices:	Avoid prolonged contact with the			fter use,	wash hand	Is and expo	osed ski	in with s	soap an	d water. Do	not ea
.2	Storage & Handling:	drink or smoke while handling product. Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container										
-	eterage a manaling.	Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface closed tightly when not in use. Empty container may contain residual amounts of this product; containers should be handled with care.										
		Store containers in a cool, dry			from dire	ct sunlight.	, other light	source	s, or so	urces o	f intense hea	it. Sto
		away from incompatible mater										
0		containers as appropriate.			14		1.4					
.3	Special Precautions:	Open containers slowly on a s contain residual amounts of this									mpty contain	ers m
		8. EXPOSURE CON	ITRO	LS 8		SONAL	. PROT	ECTI	ON			
.1	Exposure Limits:		ACG	SIH		NOHSC			OSHA	r	OTHER	
	ppm (mg/m³)	CHEMICAL NAME(S)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH		
		SILICA DIMETHYL SILYLATE	(6)	NE	NF	NF	NF	(6)	NE	NE	DUST	
		CI 77891 (TITANIUM DIOXIDE)TALC	(10)	NA	NF	NF	NF	(10)	NA	NA		
.2	Ventilation & Engineering Controls:	When working with large quanti that an eyewash station, sink or							al exhau	ust vent	ilation, fans).	Ensu
1.3	Respiratory Protection:	No special respiratory protecti										
		necessary, use only respirator										
		§1910.134, or applicable U.S provinces, EU member states,			tions, or	the appro	priate stan	dards d	of Cana	ida, its		
.4	Eye Protection:	Depending on the use of this p U.S. OSHA 29 CFR §1910.133	roduct,	splash						refer to		
.5	Hand Protection:	If anticipated that prolonged &								t. wear		
		neoprene or rubber gloves for §1910.138, the appropriate star	routine	indust	rial use.	If necessa	ary, refer to					
6	Body Protection:	No special body protection is						use and	l handli	na. If		
		necessary, refer to appropriate								5		
		9. PHYSICA	1 8 (2				
1	Appearance:	Pink viscous gel				TROP)				
.2	Odor:	Characteristic acrylate odor										
.3	Odor Threshold:	ND										
4	pH:	NA										
.5	Melting Point/Freezing Point:	NA										
.6	Initial Boiling Point/Boiling	NA										
7	Range: Flashpoint:	> 100 °C (> 212 °F) estimated										
.8	Upper/Lower Flammability	NA										
0	Limits:											
9 10	Vapor Pressure: Vapor Density:	NA										
.10	Relative Density:	NA ND										
.12	Solubility:	Immiscible										
13	Partition Coefficient (log Pow):	NA										
14	Autoignition Temperature:	ND										
.15	Decomposition Temperature:	NA										
.16	Viscosity:	165,000 cPs										
17	Other Information:	NA										
	0.11	10. ST										
0.1	Stability:	Stable under ambient condition					· 2		0		1	
0.2	Hazardous Decomposition Products:	If exposed to extremely high carbon oxide gases (e.g., CO, C	CO ₂).			icts of the	rmal decor	npositio	n may	Include	irritating vap	ors a
0.3	Hazardous Polymerization:	May occur, if exposed to extrem	nely hig	h tempe	eratures.							
0.4	Conditions to Avoid:	None known.										
0.5	Incompatible Substances:	This product is incompatible whydrochloric or muriatic acids),							s, supe	roxides), strong acie	ds (e.



Page 4 of 6 **SDS-219**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.2

		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of
		the product, which are found in scientific literature. This data has not been presented in this document.
11.3	Acute Toxicity:	See Section 4.4
11.4	Chronic Toxicity:	See Section 4.5
11.5	Suspected Carcinogen:	NA
11.6	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	See Section 4.3
11.8	Biological Exposure Indices:	NE
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There are no specific data available for this product.
12.1	Effects on Plants & Animals:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	There are no specific data available for this product.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Waste disposal must be in accordance with appropriate federal, state, and local regulations.
13.2	Special Considerations:	NA
		14. TRANSPORTATION INFORMATION
Tho h	asic description (ID Number	proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information
		/ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED
		15. REGULATORY INFORMATION
15.1	SARA Reporting	
-	Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory or are otherwise exempt.
15.4	CERCLA Reportable Quantity	NA
15.5	(RQ): Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter ((Cosmetics).
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the
15.7	State Regulatory Information:	DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.
13.7		Hydroxyethyl Methacrylate (HEMA) is found on the following state criteria list: NJ and PA No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following stat criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substance List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardou Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvani Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).
15.8	Other Requirements:	The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: <u>Hydroxyethyl Methacrylate (HEMA)</u> : Irritant (Xi). <u>Risk Phrases</u> (R): 36/38-43 - Irritating to eyes, and skin. May cause sensitization by skin contact. <u>Safety Phrases</u> (S): 2-26-28: Keep away from children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of soap and water.



Page 5 of 6 **SDS-219**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.2

	16. OTHER INFORMATION						
16.1	Other Information:	WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. Use only as directed. Irritating to eyes, skin and respiratory system. Keep container tightly closed in a cool place. Avoid contact with skin and eyes. Wear eye protection. Do not take internally. Keep away from heat and open flame. KEEP OUT OF REACH OF CHILDREN					
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.					
16.4	Prepared for:	OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5776 http://www.opi.com					
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com					



Page 6 of 6 **SDS-219**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.2

SDS Revision Date: 2/8/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following: **GENERAL INFORMATION:**

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienists				
TLV	TLV Threshold Limit Value			
OSHA	U.S. Occupational Safety and Health Administration			
PEL	PEL Permissible Exposure Limit			
IDLH	Immediately Dangerous to Life and Health			

FIRST AID MEASURES:

Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood CPR and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:

Α					G		(EV)		
В					Н				
С			E t		I	8	(I)		
D	B				J	8	(I)	I	
Ε					к	Î	(I)		
F					X			ipervisor o Iling direct	
Sa	afety Glas	ses	Splash	Goggles		e Shield a tive Eyew		Glov	es
Boots		Syntheti	c Apron		Protective Clothing & Full Suit		Dust Respire		

OTHER STANDARD ABBREVIATIONS:

Full Face Respirator

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

Full Face

Respirator

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA


Dust & Vapor Half-

Mask Respirator

FLAMMABILITY LIMITS IN AIR:				
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
ох	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	S
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
тс	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\bigcirc	۲	٨		Ð	۲		Ŕ
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

Ðſ

Airline Hood/Mask

or SCBA

¶		×	*		® X	×	×
с	E	F	Ν	0	T Xi		Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\diamondsuit		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment