$O \cdot P \cdot I$

SAFETY DATA SHEET

Page 1 of 6 **SDS-317**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 2/8/2016

1.1	Product Name:	OPI GLITTER-OFF PEELABLE BASE COAT	
1.2	Chemical Name:	Solvent Mixture	
1.3	Synonyms:	NT B01	
1.4	Trade Names:	OPI Glitter-Off Peelable Base Coat	
1.5	Product Use:	Professional or Sundry Use Only	
1.6	Distributor's Name:	OPI Products, Inc.	
1.7	Distributor's Address:	13034 Saticoy Street, No. Hollywood, CA 91605 USA	
1.8	Emergency Phone:	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377)	
1.9	Business Phone / Fax:	+1 (818) 759-2400 / +1 (818) 759-5776	

2. HAZARDS IDENTIFICATION

Hazard Identification: This product is classified as a hazardous substance but not as dangerous GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia).

WARNING! MAY BE HARMFUL IF SWALLOWED. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION.

Classification: Acute Tox. 5; Skin Sens. 1A; Eye Irrit. 2B

<u>Hazard Statements</u> (H): H303 – May be harmful if swallowed. H317 – May cause an allergic skin reaction. H319 – Causes serious eye irritation.

Precautionary Statements (P): P264 – Wash hands and exposed skin surfaces with soap and warm water thoroughly after handling. P280 Wear eye protection/face protection. P302+P352 – IF ON SKIN: Wash with soap and water. P305+P351+P338 – IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P312 – Call a POISON CENTER/physician if you feel unwell. P333+P313 – If skin irritation or a rash occurs - Get medical advice/attention. P321 – For specific first aid treatment (See Section 4 of this Safety Data Sheet). P337+P313 – If eye irritation persists: Get medical advice/attention. P363 – Wash contaminated clothing before reuse. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).



3. COMPOSITION & INGREDIENT INFORMATION

								EXPO	SURE LI	MITS IN	AIR (mg	q/m³)	
					AC	GIH		NOHSC			OSHA		
					pp	m		ppm			ppm		
0.15110.1.1.1.1.5(0)							ES-	ES-	ES-				071150
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
WATER	7732-18-5	NA	231-791-2	30-60	NE	NE	NF	NF	NF	NE	NE	NE	
WATER													
POLYVINYL ACETATE	9003-20-7	AK0920000	203-545-4	30-60	NA	NA	NF	NF	NF	NA	NA	NA	
POLYVINYLACETATE	Flam. Liq. 2; F	1225											
PHENOXYETHANOL	122-99-6	KM0350000	204-589-7	0.1-1	NA	NA	NF	NF	NF	NA	NA	NA	
FILNOXILIIANOL	Acute Tox. 4 *; Eye Irrit. 2; H302, H319												
PPG-3 METHYL ETHER	25489-49-1	NA	247-045-4	0.1-1	NA	NA	NF	NF	NF	NA	NA	NA	
FFG-3 METITE ETTER													
PEG-12 DIMETHICONE	68937-54-2	NA	NA	0.1-1	NA	NA	NF	NF	NF	NA	NA	NA	
T EG-12 DIMETHIOONE													
DISILOXANE	107-46-0	JM9237000	203-492-7	0.1-1	NA	NA	NF	NF	NF	NA	NA	NA	
DISILOXANE	Flam. Liq. 2; S	Skin Irrit. 2; Aquati	c Acute 2; Aqua	ic Chronis	2; H225	5, H316	, H411						
ACRYLATES COPOLYMER	25035-69-2	NA	NA	0.1-1	NA	NA	NF	NF	NF	NA	NA	NA	
ACKTEATES COF DETWER													

4 FIRST AID MEASURES

			4. TINGT AID MEASURES
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
		Eyes:	Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.
		<u>Skin</u> :	If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.
		Inhalation:	Remove victim to fresh air.

 $0.9 \cdot 1$

SAFETY DATA SHEET

Page 2 of 6 SDS-317

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 2/8/2016 4. FIRST AID MEASURES - cont'd If product is swallowed, may cause nausea, headache, vomiting and/or diarrhea and central nervous 42 Effects of Exposure: Ingestion: system depression. Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. Eyes: May be irritating to skin in some sensitive individuals, especially after prolonged and/or repeated contact. Skin: Inhalation of vapors is unlikely under normal conditions of use and handling; however, inhalation of vapors Inhalation: in excess of the levels listed in Section 3 (Composition and Ingredient Information) can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea). 4.3 Symptoms of Overexposure: Symptoms of skin overexposure in some sensitive individuals may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering 4.4 Acute Health Effects: Mild to moderate irritation to eyes and skin near affected areas. 4.5 Chronic Health Effects: None known. Target Organs: 4 6 Eyes, Skin, Respiratory System. Pre-existing skin, eye and respiratory disorders. 47 Medical Conditions **HEALTH** 1 Aggravated by Exposure: **FLAMMABILITY** 0 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В EYES SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: Keep away from heat, lit cigarettes, sparks & open flame. Keep container closed. 5.1 Extinguishing Methods: CO₂, Halon (if permitted), Dry Chemical, Foam. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. 53 Firefighting Procedures: First responders should wear eve protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. HazChem Code: NA 6. ACCIDENTAL RELEASE MEASURES 6 1 Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product. 7.2 Storage & Handling: Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (See Section 10, Stability and Reactivity). Material should be stored in secondary containers as appropriate. 7.3 Special Precautions: Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. **EXPOSURE CONTROLS & PERSONAL PROTECTION** 8.1 Exposure Limits: ACGIH NOHSC OSHA OTHER ppm (mg/m³) ES-PEAK CHEMICAL NAME(S) TLV STEL TWA STEI PEL STEI IDLH NA NA NF NF NF NA NA NA 8.2 Ventilation & Engineering When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Controls Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. 8.2 Ventilation & Engineering When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Controls: Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.

$O \cdot P \cdot I$

SAFETY DATA SHEET

Page 3 of 6 **SDS-317**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 2/8/2016 8. EXPOSURE CONTROLS & PERSONAL PROTECTION - cont'd 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. Eye Protection: 8.4 Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear neoprene or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada or the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA 9. PHYSICAL & CHEMICAL PROPERTIES Uniform viscous liquid, clear to slightly cloudy 9 1 Appearance: 92 Odor: Characteristic Odor Threshold: 9.3 NA 9.4 pH: ND 9.5 Melting Point/Freezing Point: NE 9.6 Initial Boiling Point/Boiling > 212 °F Range: 9.7 Flashpoint ND 9.8 Upper/Lower Flammability ND Limits: Vapor Pressure: 9.9 NE Vapor Density: 9.10 NA Relative Density: 9.11 NA Solubility 9 12 Soluble 9 13 Partition Coefficient (log Pow): NA 9.14 **Autoignition Temperature** NA 9.15 Decomposition Temperature: NA Viscosity: 9 16 1,000 - 2,000 cPs Other Information: 9.17 ND 10. STABILITY & REACTIVITY Stability: Stable under ambient conditions when stored properly (See Section 7, Storage and Handling) 10.1 10.2 Hazardous Decomposition If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors and Products: carbon oxide gases (e.g., CO, CO₂) Hazardous Polymerization: 10.3 May occur, if exposed to extremely high temperatures. 10.4 Conditions to Avoid: 10.5 Incompatible Substances: This product is incompatible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or muriatic acids), or strong bases (e.g., lye, potassium hydroxide) 11. TOXICOLOGICAL INFORMATION Inhalation: YES Routes of Entry Absorption: YES Ingestion: YES Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. This data has not been presented in this document. 11.3 Acute Toxicity: See Section 4.4 11.4 Chronic Toxicity See Section 4.5 11.5 Suspected Carcinogen: This product contains Polyvinylacetate, which is not carcinogenic to humans, but is listed as Group 3 carcinogens by IARC, (Acetic Acid Ethenyl Ester, Homopolymer) Reproductive Toxicity: 11.6 This product is not reported to cause reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenic effects in humans. Embryotoxicity This product is not reported to produce embryotoxic effects in humans Teratogenicity This product is not reported to cause teratogenic effects in humans Reproductive Toxicity: This product is not reported to cause reproductive effects in humans 11.7 Irritancy of Product: See Section 4.3 11.8 Biological Exposure Indices: 11.9 Physician Recommendations: Treat symptomatically.

$0.9 \cdot 1$

SAFETY DATA SHEET

Page 4 of 6 **SDS-317**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 2/8/2016 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There are no specific data available for this product. The components of this product will slowly degrade over time into a variety of organic compounds 12.2 Effects on Plants & Animals: There are no specific data available for this product. 12.3 Effects on Aquatic Life There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life. 13. DISPOSAL CONSIDERATIONS Waste disposal must be in accordance with appropriate federal, state, and local regulations 13.1 Waste Disposal: 13.2 Special Considerations: 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): NOT REGULATED 14.2 IATA (AIR) **NOT REGULATED** 14.3 IMDG (OCN): **NOT REGULATED** 14.4 TDGR (Canadian GND): NOT REGULATED 14.5 ADR/RID (EU): NOT REGULATED SCT (MEXICO): 14.6 **NOT REGULATED** ADGR (AUS): NOT REGULATED 14.7 15. REGULATORY INFORMATION SARA Reporting This product does not contain any substances subject to SARA Title III. Section 313 reporting requirements. Requirements: 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: TSCA Inventory Status: 15.3 The components of this product are listed on the TSCA Inventory. 15.4 CERCLA Reportable Quantity NA 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains 15.6 all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: Polyvinylacetate is listed on the following state criteria list: New Jersey Right-to-Know List (NJ), and Pennsylvania Rightto-Know List (PA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: 15.8 The primary components of this product are NOT listed in Annex I of EU Directive 67/548/EEC. Irritant (Xi). Risk Phrases (R) - R22-36/38 -Harmful if swallowed. Irritating to eyes and skin. May cause sensitization by skin contact. Safety Phrases (S): 24/25 - Avoid contact with skin and eyes.

 $0.9 \cdot 1$

SAFETY DATA SHEET

Page 5 of 6 SDS-317

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 2/8/2016 16. OTHER INFORMATION 16 1 Other Information: WARNING! MAY BE HARMFUL IF SWALLOWED. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. Wash hands and exposed skin surfaces with soap and warm water thoroughly after handling. Wear eye protection/face protection. IF ON SKIN - Wash with soap and water. IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. Call a POISON CÉNTER/physician if you feel unwell. If skin irritation or a rash occurs - Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Store in a cool place. KEEP OUT OF REACH OF CHILDREN. Terms & Definitions: 16.2 See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5776 http://www.opi.com 16.5 Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700

http://www.shipmate.com

SAFETY DATA SHEET

Page 6 of 6 **SDS-317**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 2/8/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number	CAS No.
--	---------

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
TLV Threshold Limit Value		
OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit		
IDLH Immediately Dangerous to Life and Health		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard

FLAMMABILITY PHYSICAL HAZARDS PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:

Α			
В			
С	(E)		
D			
Е		9	
F			







Synthetic Apron



Dust & Vapor Half-Mask Respirator









Dust Respirator

Airline Hood/Mask

OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILIT	FLAMMABILITY LIMITS IN AIR:					
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

r	
LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	S
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	EU European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(*)	(4)		\odot	(1)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		M	*		9	×	×
С	E	F	Ν	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\limits		(
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment