

Page 1 of 6 SDS-324

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.1 SDS Revision Date: 2/8/2016 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: OPI PEDIESSENTIALS MASK 12 Chemical Name Aqueous Lotion 1.3 Synonyms: PC V41; PC V43; PC V44; PC V42 14 Trade Names PediEssentials Green Tea Mask; PediEssentials Tropical Mask; PediEssentials Orange Mask; PediEssentials Lavender Mask 1.5 Product Use: Professional or Sundry Use Only 1.6 Distributor's Name **OPI Products, Inc.** 17 Distributor's Address 13034 Saticov Street, No. Hollywood, CA 91605 USA 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377) 1.9 Business Phone / Fax: +1 (818) 759-2400 / +1 (818) 759-5776 2. HAZARDS IDENTIFICATION Hazard Identification: 2.1 This product is not classified as a hazardous substance or as dangerous goods according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia). WARNING! CAUSES MILD SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. Classification: Skin Irrit. 2; Eye Irrit. 2B Hazard Statements (H): H316 - Causes mild skin irritation. H319 - Causes serious eye irritation. Precautionary Statements (P): P264 - Wash thoroughly with soap and water after handling. P280 - Wear eye protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337-P313 If eye irritation persist: Get medical advice/attention. P332 + P313 - If skin irritation occurs: Get medical advice/attention. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA ppm ppm ppm FS-ES-ESτιν STEL PFI STEL ю н OTHER CHEMICAL NAME(S) CAS No. RTECS No. EINECS No TWA STEL PEAK % 7732-18-5 NA 231-791-2 60-100 NE NE NE NE NE NF NF NF WATER (AQUA/EAU) 310-194-1 1332-58-7 GF1670500 10-30 2 NA NF NF NF 5 NA NA RESP FRAC KAOLIN MM0225000 NA NF NF NF NA NA NA 36653-82-4 253-149-0 1-5 NA CETYL ALCOHOL 56-81-5 MA8050000 200-289-5 1-5 10 NA NF NF NF 5 NA NA RESP FRAC GLYCERIN 57-55-6 TY200000 200-338-0 1-5 NA NA 474 NF NF NA NA NA **PROPYLENE GLYCOL** Skin Irrit. 3; Eye Irrit. 2; H316, H320 11099-07-3 NA 234-325-6 1-5 NA NA NF NF NF NA NA NA **GLYCERYL STEARATE SE** NA NA 1-5 NA NA NF NF NF NA NA NA 9004-99-3 PEG-100 STEARATE WI280000 57-11-4 200-313-4 1-5 NA NA NF NF NF NA NA NA STEARIC ACID NA NA NA 1-5 NA NA NF NF NF NA NA NA PARFUM (FRAGRANCE) MAY ALSO CONTAIN: CS8100000 205-341-0 0.0-1.5 NA NA NF NF NF NA NA ALLERGEN 138-86-3 LIMONENE Flam. Lig. 3; Skin Irrit. 2; Skin Sens. 1; Aquatic Acute 1; Aquatic Chronic 1; H226, H315, H317, H400, H410 78-70-6 RG5775000 201-134-4 0.0-1.0 NA NA NF NF NF NA NA NA ALLERGEN LINALOOL Flam. Liq. 4; Acute Tox. Oral 5; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; H227, H303, H315, H319, H335 204-262-9 NA NA 118-58-1 VO1750000 < 0.1 NA NF NF NF NA NA ALLERGEN BENZYL SALICYLATE Skin Sens. 1; Aquatic Chronic 2; H303, H317, H319, H371, H401 201-289-8 BUTYI PHENYI 80-54-6 NA < 0.1 NA NA NF NF NF NA NA NA ALLERGEN METHYLPROPIONAL Acute Tox. Oral 4; Skin Irrit. 2; Aquatic acute 2; Aquatic Chronic 2; H302, H315, H319 202-983-3 < 0.1 GD6560000 NA NF NF NF NA NA ALLERGEN 101-86-0 NA NA HEXYL CINNAMAL Skin Sens. 1B; Aquatic Chronic 2; H317, H411 5392-40-5 NA 226-394-6 < 0.1 NA NA NF NF NF NA NA NA ALLERGEN CITRAI Skin Irrit. 2; Skin Sens. 1; H315, H317 106-22-9 UT2975000 203-375-0 < 0.1 NA NA NF NF NF NA NA NA ALLERGEN CITRONELLOI Skin. Irrit. 2; Skin Sens. 1B; Eye Irrit. 2, H315, H317, H319 107-41-5 203-489-0 < 0.1 NA NA NF NF NF NA NA ALLERGEN HEXYLENE GLYCOL

Eye Irrit. 2; Skin Irrit. 2; H319, H315





Page 3 of 6 **SDS-324**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 2.1

SDS Revision Date: 2/8/2016

'.1	Work & Hygiene Practices:	Avoid eye contact.									
.2	Storage & Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or									
.3	Special Precautions:	unmarked containers or storage devices. Keep containers securely closed when not in use. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.									
.0	opeolari reductione.	Spilled material may prese	ent a siippin	y nazaru		illended.	Cleana	ali spilis j	promptiy.		
		8. EXPOSURE C	ONTRO	DLS &	PERS	ONA		OTEC	TION		
3.1	Exposure Limits:			GIH		NOHSC			OSHA		OTHER
	ppm (mg/m ³)		T 1 \/	OTEL	ES-	ES-	ES- PEAK	DEI	OTEL		
		CHEMICAL NAME(S) KAOLIN	2 TLV	STEL NA	TWA NF	STEL NF	NF	9EL 5	STEL NA	IDLH NA	RESP FRAC
		GLYCERIN	(5)	NA	NF	NF	NF	(5)	NA	NA	
		PROPYLENE GLYCOL	NA	NA	474	NF	NF	NA	NA	NA	
		LIMONENE	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
		LINALOOL	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
		BENZYL SALICYLATE BUTYLPHENYL	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
		METHYLPROPIONAL	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
		HEXYL CINNAMAL	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
		CITRAL	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
3.2	Ventilation & Engineering	CITRONELLOL	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
).Z	Ventilation & Engineering Controls:	When working with large Ensure that an eyewash s									aust ventilation, fans
3.3	Respiratory Protection:	None required if used in a									
3.4	Eye Protection:	Avoid eye contact. Prote									
		all times when handling th			se protec	tive eye	wear wh	en clean	ing spills	or leaks	
3.5	Hand Protection:	None required under norm	nal conditior	ns of use.							
3.6	Body Protection:	None required under norm	nal conditior	ns of use.							
		9. PHYSI	CAL &	CHEM	ICAL	PRO	PERT	IES			
9.1	Appearance:	Creamy smooth paste. Lig	ht yellow, g	reen, ora	nge or la	vender c	olor.				
9.2	Odor:	Citrus odor or lavender od			0						
9.3	Odor Threshold:	ND									
9.4	pH:	5.0-6.0									
9.5	Melting Point/Freezing Point:	ND									
9.6	Initial Boiling Point/Boiling Range:	ND									
9.7	Flashpoint:	This product is non-flamm	able.								
9.8	Upper/Lower Flammability Limits:	NA									
9.9	Vapor Pressure:	ND									
9.10	Vapor Density:	NA									
9.11	Relative Density:	01.0 1.2									
9.12	Solubility:	Soluble in water									
9.13	Partition Coefficient (log Pow):	NA`									
9.14	Autoignition Temperature:	NA									
9.15	Decomposition Temperature:	NA									
9.16	Viscosity:	300,000-1,00,000 cPs									
9.17	Other Information:	NA									
	1		STABI	LITY 8	REA	CTIV	ΤY				
0.1	Stability:	This product is stable.									
10.2	Hazardous Decomposition Products:	Oxides of carbon and nitro	ogen.								
10.3	Hazardous Polymerization:	Will not occur.									
0.4	Conditions to Avoid:	Open flames, sparks, high	heat and d	lirect sunl	ight.						
10.5	Incompatible Substances:										



Page 4 of 6 **SDS-324**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 2.1

SDS Revision Date: 2/8/2016

		11. TOXICOLOGICAL INFORMATION						
11.1	Deutee of Entry							
11.1	Routes of Entry:	Inhalation: NO Absorption: YES Ingestion: YES						
11.2	Toxicity Data:	The product has not been tested for specific toxicity data.						
11.3	Acute Toxicity:	See Section 4.4						
11.4	Chronic Toxicity:	See Section 4.5						
11.5	Suspected Carcinogen:	No						
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.						
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.						
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.						
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans.						
	Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.						
11.7	Irritancy of Product:	See Section 4.3						
11.8	Biological Exposure Indices:	NE						
11.9	Physician Recommendations:	Treat symptomatically.						
10.1		12. ECOLOGICAL INFORMATION						
12.1	Environmental Stability:	There are no specific data available for this product.						
12.2	Effects on Plants & Animals:	There are no specific data available for this product.						
12.3	Effects on Aquatic Life:	There are no specific data available for this product.						
40.1	Waste Die	13. DISPOSAL CONSIDERATIONS						
13.1	Waste Disposal:	Dispose of in accordance with Federal, state and local regulations.						
13.2	Special Considerations:	NA NA						
		14. TRANSPORTATION INFORMATION						
		, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information						
		/ICAO, IMDG and the CTDGR.						
14.1	49 CFR (GND):	NOT REGULATED						
14.2	IATA (AIR):	NOT REGULATED						
14.3	IMDG (OCN):	NOT REGULATED						
14.4	TDGR (Canadian GND):	NOT REGULATED						
14.5	ADR/RID (EU):	NOT REGULATED						
14.6	SCT (MEXICO):	NOT REGULATED						
14.7	ADGR (AUS):	NOT REGULATED						
15 1	SARA Reporting	15. REGULATORY INFORMATION						
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements.						
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.						
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.						
15.4	CERCLA Reportable Quantity	NA						
4	(RQ):							
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).						
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS						
		contains all of the information required by the CPR. The components of this product are listed on						
		the DSL/NDSL. None of the components of this product are listed on the Priorities Substances						
15.7	State Regulatory Information:	List. WHMIS D2B (Other Toxic Effects). Kaolin is listed on the following state criteria list: Massachusetts Hazardous Substances List (MA), Minnesota						
		Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), and Pennsylvania Right-to-Know List (PA).						
		<u>Glycerin</u> is listed on the following state criteria list: MA, MN, PA and WA.						
		None of the ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following						
		state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic						
		Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI),						
		Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous						
		Substances List (WI).						
15.8	Other Requirements:	The primary components of this product are listed in Annex I of EU Directive 67/548/EEC.						
		Limonene: Irritant (Xi). <u>Risk Phrases</u> (R):43 – May cause sensitization by skin contact. <u>Safety</u>						
		Phrases (S): 2-25-26-37- Keep out of reach of children. Avoid contact with eyes. In case of						
		contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable						
		gloves.						



Page 5 of 6 **SDS-324**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 2.1

SDS Revision Date: 2/8/2016

		16. OTHER INFORMATION								
16.1	Other Information:	Immation: WARNING! CAUSES MILD SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. Wash thoroughly with soap and water after handling. Wear eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. KEEP OUT OF REACH OF CHILDREN.								
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.								
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.								
16.4	Prepared for:	OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5776 http://www.opi.com								
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com								



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 2.1

SDS Revision Date: 2/8/2016

Page 6 of 6

SDS-324

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following: **GENERAL INFORMATION:**

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	H American Conference on Governmental Industrial Hygienists				
С	Ceiling Limit				
IDLH	Immediately Dangerous to Life and Health				
OSHA	U.S. Occupational Safety and Health Administration				
PEL	Permissible Exposure Limit				
TLV	Threshold Limit Value				

FIRST AID MEASURES:

CPR Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:

Α				G	8	F			
в				Н	0	F			
С			THE A	I	0	F			
D	E			J	0	F			
Е			\bigcirc	к	Î	F			
F	0			x			upervisor o Idling direc		
Sa	fety Glass	ses	Splash Goggles		ce Shield &		Glov	ves	
	Boots		Synthetic Apron		ctive Cloth	ing	Dust Res	spirator	
Full Face Respirator			Dust & Vapor Half-	Full Face			Airline Hood/Mask		

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:

Full Face Respirator

ML	Maximum Limit
NA	Not Available
ND	Not Determined
NE	Not Established
NF	Not Found
NR	No Results
SCBA	Self-Contained Breathing Apparatus

Respirator

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA


Mask Respirator

FLAMMABILITY LIMITS IN AIR:

Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD 50	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{lo}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{lo} , LD _{lo} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC ₀ , LC ₁₀ , & LC ₀	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\bigcirc	۲	۲		Ð	۲		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compresse d	Flammabl e	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

¶ <mark>∦</mark>		N	¥	8	o X	×	×
с	E	F	Ν	0	т	Xi	Xn
Corrosive	Explosive	Flammabl e	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond					×
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment