# SAFETY DATA SHEET



Issuing Date: 10-Mar-2015 Revision Date: 10-Mar-2015 Version 1

# 1. IDENTIFICATION

Product Name Sebastian Shine Shaker

Product ID: 99950268\_PROF\_NG

Product Type: Finished Product - Consumer (Retail) and Professional Use

Recommended Use Personal Beauty Care Product

Manufacturer The Procter & Gamble Company

Sharon Woods Innovation Center 11510 Reed Hartman Highway

Cincinnati OH 45241 +1 513 626-2500

E-mail Address pgsds.im@pg.com

Emergency Telephone Transportation (24 HR)

CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

# 2. HAZARD IDENTIFICATION

This product is classifed under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

Eye Damage / IrritationCategory 2BFlammable aerosolsCategory 1Signal WordDANGER

Hazard Statements Causes eye irritation

EXTREMELY FLAMMABLE AEROSOL

Hazard pictograms



**Precautionary Statements -**

Prevention

Pressurized container: Do not pierce or burn, even after use

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Wash hands thoroughly after handling

99950268\_PROF\_NG - Sebastian Shine Shaker

Precautionary Statements - IF IN EYES: Rinse

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

Revision Date: 10-Mar-2015

present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

**Precautionary Statements -**

Storage

Response

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

**Precautionary Statements -**

**Disposal** 

None

Hazards not otherwise classified

(HNOC)

None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

| Chemical Name                       | Synonyms | Trade Secret | CAS-No   | Weight % |
|-------------------------------------|----------|--------------|----------|----------|
| Butane                              | -        | No           | 106-97-8 | 35 - 40  |
| Disiloxane, 1,1,1,3,3,3-hexamethyl- | =        | No           | 107-46-0 | 25 - 30  |
| Isobutane                           | -        | No           | 75-28-5  | 5 - 10   |
| Ethanol                             | •        | No           | 64-17-5  | 5 - 10   |
| Propane                             | -        | No           | 74-98-6  | 1 - 5    |

## 4. FIRST AID MEASURES

## First aid measures for different exposure routes

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

**Skin contact** None under normal use.

Ingestion Not an expected route of exposure. If swallowed:. Clean mouth with water and afterwards

drink plenty of water.

**Inhalation** Move to fresh air.

Most important symptoms/effects,

acute and delayed

May cause eye irritation.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Flammable properties Extremely flammable aerosol

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable Extinguishing Media None.

**Special hazard**Containers may explode when heated or if contaminated with water. Extremely flammable.

May form explosive mixtures with air.

99950268\_PROF\_NG - Sebastian Shine Shaker

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

Revision Date: 10-Mar-2015

(approved or equivalent) and full protective gear.

Specific hazards arising from the

chemical

Containers may explode when heated. Keep product and empty container away from heat and sources of ignition.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid breathing vapors or mists.

## Methods and materials for containment and cleaning up

**Methods for containment**Ventilate the area. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Do not puncture or incinerate cans. ELIMINATE all ignition sources (no smoking, flares,

sparks or flames in immediate area). Contain spillage, and then collect with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling Keep away from open flames, hot surfaces and sources of ignition. Keep out of the reach of

children. Observe label precautions. Avoid breathing vapors or mists.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible products None known.

Aerosol Classification Level 1

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

**Exposure Guidelines** 

| Chemical Name | CAS-No   | ACGIH TLV      | OSHA PEL  | Mexico PEL   |
|---------------|----------|----------------|---|--|
| Butane        | 106-97-8 | STEL: 1000 ppm | (vacated) TWA: 800 ppm<br>(vacated) TWA: 1900<br>mg/m³                                      | Mexico: TWA 800 ppm<br>Mexico: TWA 1900 mg/m <sup>3</sup>  |
| Isobutane     | 75-28-5  | STEL: 1000 ppm |   |  |
| Ethanol       | 64-17-5  | STEL: 1000 ppm | TWA: 1000 ppm<br>TWA: 1900 mg/m³<br>(vacated) TWA: 1000 ppm<br>(vacated) TWA: 1900<br>mg/m³ | Mexico: TWA 1000 ppm<br>Mexico: TWA 1900 mg/m <sup>3</sup> |
| Propane       | 74-98-6  | TWA: 1000 ppm  | TWA: 1000 ppm<br>TWA: 1800 mg/m³<br>(vacated) TWA: 1000 ppm<br>(vacated) TWA: 1800<br>mg/m³ |  |

| Chemical Name | CAS-No   | Alberta       | Quebec                      | Ontario TWAEV     | British Columbia |
|---------------|----------|---------------|-----------------------------|-------------------|------------------|
| Butane        | 106-97-8 | TWA: 1000 ppm | TWA: 800 ppm                | TWA: 800 ppm TWA: | TWA: 1000 ppm    |
|               |          | l             | TWA: 1900 mg/m <sup>3</sup> | 1000 ppm          | STEL: 750 ppm    |

| Isobutane | 75-28-5 |  |  | TWA: 800 ppm TWA:<br>1000 ppm | TWA: 1000 ppm  |
|-----------|---------|--|--|-------------------------------|----------------|
| Ethanol   | 64-17-5 | TWA: 1000 ppm<br>TWA: 1880 mg/m <sup>3</sup> | TWA: 1000 ppm<br>TWA: 1880 mg/m <sup>3</sup> | STEL: 1000 ppm                | STEL: 1000 ppm |
| Propane   | 74-98-6 | TWA: 1000 ppm                                | TWA: 1000 ppm<br>TWA: 1800 mg/m <sup>3</sup> | TWA: 1000 ppm                 | TWA: 1000 ppm  |

Revision Date: 10-Mar-2015

No relevant exposure guidelines for other ingredients

**Exposure controls** 

Engineering Measures No information available

Personal Protective Equipment

Eye Protection Manufacturing Sites:

Safety glasses with side-shields

Distribution, Workplace and Household Settings:

No special protective equipment required

Hand Protection No special protective equipment required

Skin and Body Protection No special protective equipment required

Respiratory Protection No special protective equipment required

**Hygiene measures** Avoid breathing vapors, mist or gas

When using, do not eat, drink or smoke

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State @20°C Aerosol Appearance clear Odor Pleasant

Odor threshold No information available

Property Values Note

pH valueNo information availableMelting/freezing pointNo information availableBoiling point/boiling rangeNo information available

Flash point -3 °C / 26.6 °F Aerosol Closed cup

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limit
Lower Flammability Limit
Vapor pressure
Vapor density
Relative density
Water solubility
Solubility in other solvents
Partition coefficient: n-octanol/water No information available
Autoignition temperature
No information available

Autoignition temperature

No information available

No information available

Viscosity of Product No information available

VOC Content (%) Products comply with US state and federal regulations for VOC content in consumer

products.

# 10. STABILITY AND REACTIVITY

**Reactivity** None under normal use conditions.

**Stability** Stable under normal conditions.

**Hazardous polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition. Extremes of

temperature and direct sunlight.

Materials to avoid None in particular.

Hazardous Decomposition Products None under normal use.

# 11. TOXICOLOGICAL INFORMATION

Revision Date: 10-Mar-2015

#### **Product Information**

Information on likely routes of exposure

**Inhalation** Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal.

Skin contactNo known effect.IngestionNo known effect.

**Eye contact** Avoid contact with eyes. Irritating to eyes.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity No known effect. Skin corrosion/irritation No known effect. Irritating to eyes. Serious eye damage/eye irritation No known effect. Skin sensitization No known effect. Respiratory sensitization Germ cell mutagenicity No known effect. **Neurological Effects** No known effect. Reproductive toxicity No known effect. **Developmental toxicity** No known effect. **Teratogenicity** No known effect. STOT - single exposure No known effect. STOT - repeated exposure No known effect. **Target Organ Effects** No known effect. **Aspiration hazard** No known effect. No known effect. Carcinogenicity

# **Component Information**

| Chemical Name                       | CAS-No   | LD50 Oral       | LD50 Dermal             | LC50 Inhalation             |
|-------------------------------------|----------|-----------------|-------------------------|-----------------------------|
| Butane                              | 106-97-8 | -               | -                       | 520400 ppm (Read across     |
|                                     |          |                 |                         | data on Isobutane;          |
|                                     |          |                 |                         | guideline not indicated;    |
|                                     |          |                 |                         | mouse; 2 h)                 |
| Disiloxane, 1,1,1,3,3,3-hexamethyl- | 107-46-0 | >12160 mg/kg bw | > 2000 mg/kg bw (//OECD | 106 mg/L (OECD 403)         |
|                                     |          |                 | 402)                    |                             |
| Isobutane                           | 75-28-5  | -               | -                       | 520400 ppm (Guideline       |
|                                     |          |                 |                         | not indicated; mouse; 2 h)  |
| Propane                             | 74-98-6  | -               | -                       | > 800000 ppm (Guideline     |
| ·                                   |          |                 |                         | not indicated; rat; 0.25 h) |

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Hazardous to the Aquatic Environment.

Persistence and degradability No information available.

99950268\_PROF\_NG - Sebastian Shine Shaker

Bioaccumulative potential No information available.

**Mobility** No information available.

Other adverse effects No information available.

#### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment

Waste from Residues / Unused

**Products** 

Aerosol cans, when disposed as waste, are regulated as D003 reactive hazardous waste in some States because of their potential to explode when heated. Check with your State environmental agency for guidance. Products covered by this MSDS, in their original form, when disposed as waste, are ignitable hazardous waste, D001, according to Federal RCRA

Revision Date: 10-Mar-2015

regulations(40 CFR 261).

Contaminated packaging Pressurized container: Do not pierce or burn, even after use. Empty containers may contain

flammable or explosive vapors.

**California Hazardous Waste Codes** 

(non-household setting)

331

**Disposal recommendations** Products covered by this MSDS, in their original form, when disposed from a commercial

facility as waste, are ignitable hazardous waste, D001, according to Federal RCRA regulations(40 CFR 261). Disposal should be in accordance with Local, State and Federal

regulations.

# 14. TRANSPORT INFORMATION

DOT

UN no UN1950 UN Proper shipping name Aerosols

**Description** UN1950, Aerosols, 2.1, Ltd. Qty.

126

Hazard Class 2.1

Marine pollutant Marine pollutant.

**Emergency Response Guide** 

Number

<u>IMDG</u>

UN Number UN1950 UN Proper shipping name Aerosols

**Description** UN1950, Aerosols, 2.1, MARINE POLLUTANT, Ltd. Qty.

Transport hazard class(es) 2

Environmental Hazards Marine pollutant EmS-No F-D, S-U

<u>IATA</u>

UN no UN1950

**UN Proper shipping name** Aerosols, flammable

**Description** UN1950, Aerosols, flammable, 2.1, Ltd. Qty.

Hazard Class 2.1 ERG Code 10L

IATA comment Can also be shipped as ID8000 Consumer Commodity

## 15. REGULATORY INFORMATION

# U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## Food and Drug Administration (FDA)

The product described in this Material Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable)

Revision Date: 10-Mar-2015

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **California Proposition 65**

This product is not subject to warning labeling under California Proposition 65.

### U.S. State Regulations (RTK)

| Chemical Name | CAS-No   | New Jersey |
|---------------|----------|------------|
| Butane        | 106-97-8 | X          |
| Isobutane     | 75-28-5  | X          |
| Ethanol       | 64-17-5  | X          |
| Propane       | 74-98-6  | X          |

| Chemical Name | CAS-No   | Massachusetts |
|---------------|----------|---------------|
| Butane        | 106-97-8 | X             |
| Isobutane     | 75-28-5  | X             |
| Ethanol       | 64-17-5  | X             |
| Propane       | 74-98-6  | X             |

| Chemical Name      | CAS-No     | Pennsylvania |
|--------------------|------------|--------------|
| Butane             | 106-97-8   | X            |
| Isobutane          | 75-28-5    | X            |
| Ethanol            | 64-17-5    | X            |
| Propane            | 74-98-6    | X            |
| Dipropylene glycol | 25265-71-8 | X            |

## **International Inventories**

#### **United States**

Product is a personal care product and regulated under FDA.

#### Canada

This product is in compliance with CEPA for import by P&G.

## <u>Legend</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**CEPA** - Canadian Environmental Protection Act

Perfumes contained with the products comply with appropriate IFRA guidance.

# **16. OTHER INFORMATION**

Revision Date: 10-Mar-2015

Issuing Date:10-Mar-2015Revision Date:10-Mar-2015Reason for revisionInitial Release.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**